
ELEVATION
HARDSCAPES

THE COLORADO COLLECTION / 2026



GOOD DESIGN. GROUNDED.

PAVING / WALLS / MATERIALS FOR COLORADO LIVING

Begin with how you want to live.

A shaded seat. A clearer arrival. A garden that works with the slope.

01 / THE PLACE	Look at the architecture, the light and the way water moves through the site.
02 / THE EXPERIENCE	Define room for gathering, a quiet retreat or an entrance that feels considered.
03 / THE PALETTE	Choose the field, then bring walls, borders, steps and finishes into the same conversation.

Six Colorado design studies introduce distinct approaches. The product collections that follow help turn the direction into a complete material palette.

Design studies use generated illustrations of proposed settings and material directions. Product colors and formats should be selected from physical samples.

Find your material.

Colorado Trends	4
Colorado Trends / Soft texture	6
Colorado design studies	8
Large-format & modular slabs	10
Pavers, accents & designer collections	23
Architectural planks	45
Wall systems	51
Pool coping, precast & wall caps	61
Steps & landscape details	68
Permeable paving & Eco-Stone	71
Surface systems / Eco-Stone & Surface-X	79
Jointing, sands & surface protection	85
Fire & outdoor living	93
Commercial / Hexagon collection	101
Product index	105

Printed dimensions keep the product pages clean. The companion guide contains ordering tables and detailed format information.

Scale. Texture. Restraint.



PALAZZO / MINERAL FINISHES

Large modules need generous proportions and intentional cuts. Let the module establish the rhythm.



SURFACE-X / TONAL NEUTRALS

Tans, taupes and greys feel richer when texture provides the variation. Keep borders close in tone.



ECO-STONE / NATURAL AGGREGATE

Eco-Stone bands, permeable paving and drains should be planned with the full water-management assembly.

COLLECTION DIRECTIONS / TITAN / GEOCERAMICA / WINDOM / TAHOE / PALERMO

Pair the field with Palermo, Stonegate or Tribute walls. Resolve caps and steps before adding fire, cabinetry, shade and lighting.

material references shown; select exact products, colors and dimensions from the collection.

Design the connections.



TEXTURE & SHADOW

Let a split face create depth; use a smoother cap to give the wall a clear finish.



A DELIBERATE EDGE

Coordinate pavers, edging, steps and planting levels as one continuous sequence.



MINERAL CHARACTER

Use Coastal, Palazzo and natural aggregate for different expressions of mineral texture.

COLLECTION DIRECTIONS / TITAN / GEOCERAMICA / WINDOM / TAHOE / PALERMO

Pair the field with Palermo, Stonegate or Tribute walls. Resolve caps and steps before adding fire, cabinetry, shade and lighting.

material references shown; select exact products, colors and dimensions from the collection.

Soft texture.
Quiet luxury.



A softer expression of Colorado modern.

Fine mineral faces. Warm whites, sand and greige. Let gentle texture carry the interest, then frame the paving with a subtle Umbriano or Coastal border in a neighboring tone.

CEDAR / MINERAL TEXTURE / SOFT PLANTING / A TONAL EDGE

Build the soft palette.

Choose one paving field. Keep the border close in tone.



Elevation Grand Reverence

Fine bush-hammered texture.
Vision / Allure.



Elevation Grand Discover

Vision / Allure.
Smooth face, gentle color movement.



Elevation Palazzo

Contempo or Venetian mineral texture.
Champagne / Grey Mist.



Elevation Coastal

White Ivory FM / Mist FM.
Exposed shell and aggregate.



Elevation Windom Slabs

Sahara / Sterling / Kodiak Sand.
Quiet neutrals in larger modules.




Subtle borders

Umbriano Desert or Greystone;
Coastal White Ivory FM.

Keep the border quiet: a restrained band, simple corners and little contrast. Coordinate wall caps and coping in the same tonal family.

The city courtyard.



THE BRIEF

Create an outdoor room within an established city lot, without filling every corner.

DESIGN INTENT

Keep the paving field quiet. Put planting at the perimeter and leave a clear route from the house to the garden.

MATERIAL DIRECTION

Discover or Silhouette for a compact modular field; American Brick as a slender border. Match the selected product, color and layout with samples.

A narrow border gives the field a deliberate edge. One small tree creates enclosure without crowding the seating.

Let the landscape lead.



THE BRIEF

Give an intimate mountain terrace a generous feel while allowing the trees and house to remain the focus.

DESIGN INTENT

Use larger rectangular modules, align the field to the building and keep the border close in tone.

MATERIAL DIRECTION

Titan Slabs, Windom or GeoCeramica as distinct field options; a coordinated precast step and cap. Choose one system rather than mixing every collection.

Bring the slab grid to the landing with resolved cuts. Let planting soften the perimeter instead of adding a second decorative pattern.

Elevation Titan Slabs

Expansive 24 x 36-inch slabs create clean lines and a generous architectural scale for patios and outdoor rooms.



COLOR & FINISH



Kodiak Sand



Sahara



Sterling



Pewter

FORMAT & ORDERING

Format

Actual dimensions / Units / pallet / Coverage / pallet

Slab

23.62 x 35.43 x 2 3/8 in / 16 / 90.8 sq ft

Let the larger field read as one calm plane. Use a restrained border and resolve steps and thresholds before settling the layout.

Full ordering tables: Professional Specification Guide. Printed colors are a guide; approve physical samples.

Elevation Grand Discover XL Slabs

A single 16 x 32-inch slab with a smooth face and generous rectangular proportions. Coordinate it with the Discover family for a unified palette.



COLOR & FINISH



Enlighten

Vision



Timeless



Allure



Majestic

FORMAT & ORDERING

Format

Nominal dimensions / Thickness / Units / pallet / Coverage / pallet

Single slab

16 x 32 in / 2 3/4 in (70 mm) / 24 / 85.36 sq ft

Use the long dimension to reinforce an architectural line or the principal direction of travel. Review the actual slab proportions with the surrounding walls and thresholds.

Full ordering tables: Professional Specification Guide. Printed colors are a guide; approve physical samples.

Elevation Strata



12 x 24 in. / 60 mm

UNIT FORMAT

A rectangular module. A clear linear rhythm.



Kodiak Sand



Charcoal



Sahara



Sterling

Select color and finish with physical samples. Dimensions and ordering data are in the specification guide.

Elevation Vista



24 x 24 in. / 60 mm

UNIT FORMAT

A generous square field, shown close enough to read the grid.



Kodiak Sand



Charcoal



Sahara



Sterling

Select color and finish with physical samples. Dimensions and ordering data are in the specification guide.

Elevation GeoCeramica

Porcelain surfacing bonded to a concrete paver base creates a hybrid slab for refined patios and outdoor rooms. Actual website dimensions are listed below.



COLOR & FINISH


Pearle


Taupe


Sable


Smoke

FORMAT & ORDERING

Format

Actual dimensions / Units / pallet / Coverage / pallet

Square

23.62 x 23.62 x 1.6 in / 26 / 100.75 sq ft

Review the material with adjoining paving, wall and edge samples. Confirm the selected format and application before placing the order.

Full ordering tables: Professional Specification Guide. Printed colors are a guide; approve physical samples.

Porcelain above. Concrete below.



A FACTORY-BONDED SYSTEM / APPROX. 40 MM TOTAL



Section schematic / bond thickness exaggerated for clarity.

01 / 10 mm porcelain face

02 / AquaFerm bonding layer

03 / Stabikorn concrete base

A slip-resistant porcelain finish.

The engineered porcelain walking surface combines slip resistance with a refined appearance. A factory-applied bonding system joins it to the concrete base; the 3 mm auto-spacer helps keep joints consistent.

Slip resistance varies with surface conditions. Confirm the selected finish and project requirements for wet areas. Square: 23.62 x 23.62 x 1.6 in.; rectangle: 11.81 x 23.62 x 1.6 in.

Elevation Windom Slabs



8 x 16 / 16 x 16 / 16 x 24 in. / 60 mm

NOMINAL FORMATS

FEATURED COLOR / KODIAK SAND



Kodiak Sand



Cascade



Glacier Creek




Latte



Pewter



Sahara



Sedona



Sterling

Select color and finish with physical samples. Dimensions and ordering data are in the specification guide.

Elevation Cheyenne



8 x 16 / 16 x 16 / 16 x 24 in. / 60 mm

NOMINAL FORMATS

FEATURED COLOR / LATTE / EMBOSSED SLATE TEXTURE



Sahara



Glacier Creek



Latte



Sedona



Sterling

Select color and finish with physical samples. Dimensions and ordering data are in the specification guide.

Elevation Contours XL



12 x 18 / 18 x 18 / 18 x 30 in. / 60 mm

NOMINAL FORMATS

Directional graining and an embossed textured face.



Beige



Mist



Flint

Select color and finish with physical samples. Dimensions and ordering data are in the specification guide.

Elevation Silhouette XL



12 x 18 / 18 x 18 / 18 x 30 in. / 60 mm

NOMINAL FORMATS

A smooth face and a larger module. Flint is featured.



Beige



Mist



Flint

Select color and finish with physical samples. Dimensions and ordering data are in the specification guide.

Elevation Grand Discover

A smooth architectural surface and coordinated formats create flexible, clean-lined paving compositions.



COLOR & FINISH


Enlighten

Vision


Intention


Timeless


Serenity


Allure


Majestic


Exalt

FORMAT & ORDERING

Format

Nominal dimensions / Thickness

Small

8 x 16 in / 2 3/4 in (70 mm)

Let the three-piece module establish the rhythm. Keep changes in color purposeful, and coordinate the border with the wall caps or pool edge.

Full ordering tables: Professional Specification Guide. Printed colors are a guide; approve physical samples.

Elevation Grand Fusion Pavers

A textile-inspired face gives larger modular paving a distinct tactile character.



COLOR & FINISH

Vision



Intention



Exalt

FORMAT & ORDERING

Size (in.)
8x16, 16x16,16x24

Pallet Type
2 of each size per Layer

Thickness (in.)
2 3/4

SQFT Per / Pallet
81.28

SQFT Per / Layer
10.16

Full ordering tables: Professional Specification Guide. Printed colors are a guide; approve physical samples.

Elevation Grand Reverence Pavers

A bush-hammered concrete face, softly worked edges and generous three-piece proportions create a textured architectural surface. Published application: pedestrian paving.



COLOR & FINISH

Vision



Allure

FORMAT & ORDERING

Format

Face dimensions / Thickness / Quantity

Three-piece combination

8 x 16, 16 x 16, 16 x 24 in. / 2 3/4 in. / 70 mm / 2 of each size per layer

Let the bush-hammered face provide the detail. The published application is pedestrian paving; coordinate the exact finish and protection with the selected color.

Full ordering tables: Professional Specification Guide. Printed colors are a guide; approve physical samples.

Elevation Reno

Compact, smooth three-piece modules create a versatile mixed-size composition. Compare the selected thickness and application with your project requirements.



COLOR & FINISH


Kodiak Sand


Cascade


Glacier Creek


Latte


Sahara


Sedona


Sterling

FORMAT & ORDERING

Format
Actual dimensions

Small
4.87 x 9.87 x 2 3/8 in

Medium
9.87 x 9.87 x 2 3/8 in

Large
14.75 x 9.87 x 2 3/8 in

Start with the overall footprint, then use the compact modules to make the smaller turns and transitions feel considered.

Full ordering tables: Professional Specification Guide. Printed colors are a guide; approve physical samples.

Elevation Tahoe




5 x 10 / 10 x 10 / 15 x 10 in. / 60 mm

NOMINAL FORMATS

A subtle embossed slate surface, with the texture in view.



Latte




Cascade



Glacier Creek

Select color and finish with physical samples. Dimensions and ordering data are in the specification guide.

Elevation Contours



5 x 10 / 10 x 10 / 10 x 15 in.

60 mm

NOMINAL THREE-PIECE FORMATS

An embossed surface with directional grain.

THE COLOR PALETTE



Beige




Mist



Flint

Elevation Silhouette



5 x 10 / 10 x 10 / 10 x 15 in. / 60 mm

NOMINAL FORMATS

FEATURED COLOR / FLINT / SMOOTH FACE



Beige




Mist



Flint

Select color and finish with physical samples. Dimensions and ordering data are in the specification guide.

Elevation Discover



4 x 8 / 8 x 8 / 12 x 8 in.

70 mm

NOMINAL THREE-PIECE FORMATS

A compact, smooth modular field.

THE COLOR PALETTE


Enlighten


Intention


Timeless*


Serenity


Allure


Majestic


Exalt


Reflection

Legacy



COLOR VARIES BY SELECTION

Weathered character. Precise, narrow proportions.

A narrow brick profile with worked edges brings depth to herringbone fields and tailored borders. Use the actual face and joint rhythm to guide the design.

70 mm

2.36 x 7.48 in. face

THE COLOR PALETTE



Reverie



Reflection

Review physical samples for final selection. Dimensions and packing are in the Professional Specification Guide.


Elevation Palermo Pavers


Fine cobblestone faces, softly irregular edges and a uniform module create a classic European paving character.



COLOR & FINISH


Limestone



Antique Pewter


Graphite


Laguna Dunes


Umbriano / Desert


Umbriano / Greystone


Umbriano / Onyx

FORMAT & ORDERING

Format
Published specification

Module dimensions
16 x 15 x 22 cm / 6.30 x 5.91 x 8.66 in. (interlocking profile)

Thickness
7 cm / 2.75 in.

Appearance
Embossed small cobblestone faces within a uniform interlocking module

Stones per sq ft
3.139

Full ordering tables: Professional Specification Guide. Printed colors are a guide; approve physical samples.

Cobble





COLOR VARIES BY SELECTION

The rhythm of a cobbled surface.

Four coordinated units, softly irregular edges and a rounded cobblestone character create a distinct field or accent. Choose the joint and drainage assembly for the application.

60 mm

Four sizes / 5.875 in. common depth

THE COLOR PALETTE



Beechwood



Moonlight Gray



Onyx

Review physical samples for final selection. Dimensions and packing are in the Professional Specification Guide.

American Brick



COLOR VARIES BY SELECTION

A slender accent. A precise finish.

The narrow 8 x 2.5-inch brick creates fine borders, insets and directional details. Its elongated proportions give a different rhythm from a standard Holland paver.

60 mm

Nominal 8 x 2.5 in.

THE COLOR PALETTE



Wheat



Mocha



Onyx

Review physical samples for final selection. Dimensions and packing are in the Professional Specification Guide.

Elevation Accent Pavers

A narrow module for borders, bands and fine landscape details.



COLOR & FINISH



Smooth Bone



Slate Mocha



Slate Natural



Slate Onyx



Smooth Mocha



Smooth Natural



Smooth Onyx

UNIT SIZES

5.75 x 11.5 in.

60 mm

SMOOTH OR TEXTURED FACE

Actual dimensions shown. Packing, weights and unit details are in the specification guide.

Full ordering tables: Professional Specification Guide. Printed colors are a guide; approve physical samples.

Elevation Elements Pavers



4 x 8 in. / 70 mm

NOMINAL FORMATS

A linear paver with a smooth face and restrained chamfer.



Enlighten

Vision



Beckon



Reflection



Allure



Majestic



Timeless



Serenity

Select color and finish with physical samples. Dimensions and ordering data are in the specification guide.

Elevation Holland



8.50 x 4.25 in. / 60 mm

UNIT FORMAT

One classic rectangular collection for fields, bands and borders.



Beechwood



Antique Copper



Bone



Mocha



Moonlight Gray



Natural

Select color and finish with physical samples. Dimensions and ordering data are in the specification guide.

Elevation Umbriano 12 x 24



Granite-inspired color movement and a refined concrete face add depth to coordinated paving, borders and accents.

Size (Nominal): 11 3/4" x 23 1/2"

Size (Actual): 300 mm x 600 mm


Thickness: 5cm



Desert



Greystone



Onyx



Sedona

Elevation Umbriano 4-piece



Granite-inspired color movement and a refined concrete face add depth to coordinated paving, borders and accents.

Size (Nominal): 5 7/8" x 5 7/8" - 5 7/8" x 8 7/8" - 8 7/8" x 8 7/8" - 8 7/8" x 11 3/4"

Size (Actual): 150 mm x 150 mm - 150 mm x 225 mm - 225 mm x 225 mm - 225 mm x 300 mm

Thickness: 6cm



Desert



Greystone



Granite Beige (Special Order)



Onyx (Special Order)

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation Umbriano 6 x 12



Granite-inspired color movement and a refined concrete face add depth to coordinated paving, borders and accents.

Size (Nominal): 6 x 12

Size (Actual): 5 7/8" x 11 3/4" (150mm x 300mm)


Thickness: 60mm



Desert



Greystone



Onyx



Sedona

Elevation Umbriano 6 x 9



Granite-inspired color movement and a refined concrete face add depth to coordinated paving, borders and accents.

Size (Nominal): 5 7/8" x 8 7/8"

Size (Actual): 150 mm x 225 mm

Thickness: 6cm



Desert



Greystone



Onyx



Sedona

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation Slate Border



A textured edge.
A deliberate frame.

6 x 12 in. class
60 mm

Slate-embossed faces and irregular, chamfered edges bring a quiet stone texture to borders, insets and accents. Pair with patios, paths, pool surrounds or driveway fields.



Mocha



Natural



Onyx

Actual unit: 5.75 x 11.5 x 2-3/8 in. / 210 units, approx. 97 sq. ft. per pallet. Auto spacers: 1/8 in. joints. Protect the embossed face during compaction.

A quieter kind of poolside.



THE BRIEF

Make the water, walking surface and coping read as one composed outdoor room.

DESIGN INTENT


Keep the field warm and light. Use a simple coping profile and let the exposed mineral character provide the interest.

MATERIAL DIRECTION

Coastal for exposed shell and aggregate character; Palazzo for a different mineral expression. Eco-Stone is a separate continuous aggregate paving option.

Resolve the paving-to-coping joint, drainage direction and furniture clearances before the pattern is finalized.

ELEVATION PALAZZO



12 x 12

12 x 24

24 x 24

NOMINAL INCHES / 50 MM THICKNESS

CONTEMPO

Shot-blasted texture with exposed aggregate.

MONACO

Ground face with a smooth, exposed-aggregate appearance.

VENETIAN

Ground and shot-blasted for mineral depth and texture.

Seven colors across three finishes. The full color selector and further installation details follow.

See the finish.
Then choose the feeling.



CONTEMPO

Shot-blasted texture exposes the aggregate and gives the surface a tactile, mineral character.



MONACO

Grinding reveals the aggregate beneath a smoother face. A more refined expression of the same color.



VENETIAN

Grinding and shot-blasting combine exposed mineral detail with a textured finish.

GREY MIST / THREE FINISHES SHOWN IN THE SAME COLOR

The full Palazzo palette.

	CONTEMPO	MONACO	VENETIAN
Bentley White			
Champagne			
Grey Mist			
Natural Pewter			
Onyx			
Espresso			
Coral			

21 color / finish combinations. FM denotes face mix. Color and finish vary in natural light; approve physical samples.

Designed around the architecture.



POOL TERRACE / RECTANGULAR FIELD & WATER-EDGE DETAIL



PLAZA / EVENING LIGHT



POOL DECK / TONAL COMPOSITION

Palazzo installation references. Select the exact size, color and finish using physical samples.

Elevation Coastal



Shell. Mineral. Surface.

3-piece / 6 x 12 / 12 x 12 / 12 x 18 in. / 60 mm


Also featured: 6 x 12 and 12 x 24 in. formats.



White Ivory FM



Gold FM



Mist FM

Color and format availability vary by regional program. Approve the selected face and blend with samples.

Let the face do the work.



GROUND FACE / EXPOSED SHELL & AGGREGATE



TEXTURE IN THE PAVING FIELD



COORDINATING THE WATER EDGE

A quiet border and a simple coping profile allow the mineral face to remain the focus.

Architectural planks

Every format, shown in a Colorado setting. Compare the proportions and thicknesses.



Elevation 3 x 9

Thickness: 100 mm

Edge: Micro Chamfer



Elevation 3 x 18

Thickness: 100 mm

Edge: Micro Chamfer



Elevation 3 x 24

Thickness: 100 mm

Edge: Micro Chamfer



Elevation 4 x 12

Thickness: 60 / 80 / 100 mm

Edge: No Chamfer & Micro Chamfer

Architectural planks

Every format, shown in a Colorado setting. Compare the proportions and thicknesses.



Elevation 4 x 16

Thickness: 80 mm

Edge: Micro Chamfer, Standard, No Chamfer



Elevation 4 x 20

Thickness: 80 mm

Edge: No Chamfer



Elevation 4 x 24

Thickness: 80 mm

Edge: No Chamfer



Elevation 6 x 6

Thickness: 60 / 80 mm

Edge: Standard

Architectural planks

Every format, shown in a Colorado setting. Compare the proportions and thicknesses.



Elevation 6 x 9

Thickness: 60 / 80 mm

Edge: Micro Chamfer, No Chamfer



Elevation 6 x 12

Thickness: 60 / 80 / 100 mm

Edge: Standard, No Chamfer



Elevation 6 x 24

Thickness: 80 mm

Edge: No Chamfer



Elevation 6 x 30

Thickness: 80 mm

Edge: No Chamfer 1/4 in. Spacing - Measurements available in English only, not metric.

Elevation Influence Plank Pavers

A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.



COLOR & FINISH

Vision



Reflection



Majestic

FORMAT & ORDERING

Format

Face dimensions / Thickness

Five-piece plank combination


5 3/4 x $9^{11}/_{16}$, 5 3/4 x 11 5/8, 5 3/4 x 13 5/8, 5 3/4 x 17 1/2, 5 3/4 x 19 1/2 in. / 3 1/8 in.

Review the material with adjoining paving, wall and edge samples. Confirm the selected format and application before placing the order.

Full ordering tables: Professional Specification Guide. Printed colors are a guide; approve physical samples.

Let the mineral make the statement.

Exposed aggregate adds depth, tonal movement and sparkle to a custom concrete paver. Select the aggregate, base color and compatible exposed finish together.



EXPOSED MINERAL FACE / SHOTBLAST FINISH REFERENCE



Earth



Obsidian



Crystal



Emerald



Mirror




Ocean

AGGREGATE OPTIONS / CUSTOM PAVER FINISHES

Shotblasting reveals mineral texture; grinding gives a smoother face. Aggregate appearance varies with the mix and finish. Confirm compatible pavers, minimum orders and lead time with a physical project sample.

Make the grade useful.



THE BRIEF

Turn a sloping site into connected places to pause, plant and gather.

DESIGN INTENT


Use a sequence of clear landings. Let the walls establish the levels and give each stair a generous arrival.


MATERIAL DIRECTION

Tribute Split-Face in Timeless for texture; Stonegate or Tribute Smooth for a smoother direction. Coordinate Imperial Steps and the selected cap profile.

Pair a textured wall face with a quieter cap. Keep joints, step edges and planting pockets intentional.

Elevation Premier 6





Split-face texture.
A coordinated wall palette.

6 IN. HIGH


18 x 12 x 6 in.
Standard unit

Coordinate face color with Compac, then resolve the cap, landing and stair edges together.


THE COMPAC COLOR PALETTE



Natural



Wasatch Tan



Onyx

Select the final regional unit and color using physical samples.

Premier 6 Contemporary



COLOR VARIES BY SELECTION

Clean courses. Coordinated color.

Premier 6 Contemporary brings a contemporary face to the 6-inch wall format. Its color program coordinates with Stonegate for a cohesive landscape palette.

6 in. high

18 x 12 x 6 in. published unit


THE COLOR PALETTE



Granite



Santorini



Onyx



Beach



Mist

Review physical samples for final selection. Dimensions and packing are in the Professional Specification Guide.

Elevation Palisades Wall



High-definition facemix.

Chroma Color facemix on the face brings refined mineral color to large, smooth wall units. Corner/end units carry the face color onto their sides.

40 L x 12 D x 8 H in.



Cafe



Cascade



Sahara



Onyx

Palisades lifting clamp available to rent through Colorado Patio & Shade. See the following page.

The right lift.
A faster installation.



Faster placement. Less manual handling.

Machine-assisted placement can reduce repeated manual handling and help crews set large Palisades units more efficiently, saving installation time and labor.

AVAILABLE TO RENT / COLORADO PATIO & SHADE

720-613-6700

Reserve the clamp with your wall order. Confirm machine compatibility, rental availability and the lifting plan. Use padded gripping surfaces as required by the wall guidance to protect the face.

Elevation Stonegate



SMOOTH, WEATHERED FACE / GRANITE COLOR REFERENCE

Clean courses.
A quieter landscape.

Smooth-faced modular units bring structure to seat walls, garden terraces and outdoor rooms. Coordinate unit sizes, cap profile and drainage as one wall system.

MODULAR WALL

Choose the unit combination and cap profile with the project layout. See the specification guide for the ordering table.


THE COLOR PALETTE



Granite



Santorini



Onyx



Beach



Mist

Physical samples govern color and finish. Coordinate Stonegate with Premier 6 Contemporary.

Elevation Compac




8-inch courses.
A pinned wall system.


STANDARD UNIT	**18 W x 12 D x 8 H in.**
CONNECTION	**Fiberglass pins / two per unit**
FACE COVERAGE	**1 sq. ft. per standard unit**



Natural




Wasatch Tan



Onyx

Pin locations establish the selected wall alignment. Resolve reinforcement, drainage and maximum wall height with site-specific engineering. Unit weight and packing vary by regional producer.

Elevation Tribute Smooth Wall



16 L x 10 1/8 D x 6 H in.

UNIT FORMAT

Smooth modular courses. A scale that belongs in the landscape.

Vision



Enlighten



Timeless



Allure



Majestic



Reflection

Select color and finish with physical samples. Dimensions and ordering data are in the specification guide.

Elevation Tribute Split-Face



SPLIT-FACE PROFILE / COLOR VARIES





TIMELESS / WALL, CAP & TEXTURE REFERENCE

Texture that catches the light.

A deliberately rough, split face brings depth and shadow to the wall. Timeless is the featured selection, with coordinating split-face caps.

6 IN. HIGH

Full unit
16 L x 12 D x 6 H in.

Corner
12 L x 8 D x 6 H in.

FEATURED COLOR / TIMELESS

Split-Face and Smooth are separate Tribute products. Specify the face, color, unit type and cap together; consult the guide for the full palette and packing.

Published split-face product references shown. Physical samples govern final color and finish.

Elevation Unity Wall

Smooth concrete units finished on all sides suit freestanding seat walls, pillars and outdoor living details. Two unit lengths support a coordinated landscape composition.



COLOR & FINISH

Vision



Enlighten



Timeless



Allure



Majestic



Reflection

FORMAT & ORDERING

Specification

Format A / Format B

Size (in.)

12 x 9 / 18 x 9

Plan the seating, pillar or outdoor-kitchen detail as part of the room. These units are finished on all sides, opening up several freestanding design possibilities.

Full ordering tables: Professional Specification Guide. Printed colors are a guide; approve physical samples.

Elevation Contemporary Wall

A clean architectural wall collection for a coordinated contemporary landscape. Select the published unit profile and finish as part of the complete wall design.



COLOR & FINISH



Beechwood



Cascade



Onyx

FORMAT & ORDERING

Block

Size / Face Area / Unit Weight / Layers / Units/Pallet / Pallet Weight

Small

8 x 8 x 4 in. H / (3 piece sets) 1.33 sq. ft./set / 122lbs./set / 5 (4 sets ea.) / 20 sets (26.6 sq. ft.) / 2,480 lbs.

Medium

16 x 8 x 4 in. H

Large

24 x 8 x 4 in. H

Full ordering tables: Professional Specification Guide. Printed colors are a guide; approve physical samples.

Elevation Bullnose Paver



A coordinated finishing component for walls, stairs and landscape transitions. Confirm the selected profile, edge treatment and dimensions before ordering.

Type: Dimensions / Area/Unit / Weight / Units/Layer / Layers/Pallet / Units/Pallet / Pallet / Weight/Pallet

Tumbled: 12 x 6 x 2.375 in." H / 0.50 sq. ft. / 13.06 lbs. / 48 / 3 / 144 / 72 sq. ft. / 1,930 lbs.



Mocha



Natural



Onyx



Wheat

Elevation Prestige Coping Pavers



Long-format bullnose coping with a burnished face creates refined pool edges, steps and freestanding wall caps. Coordinate Prestige and Demi Prestige around the perimeter detail.

Format: Face dimensions / Thickness

Prestige bullnose coping: 14 x 24 in. / 2 3/4 in.



Sea Salt



Quiet Beach



Galaxy

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation Grand Crest Coping Pavers



Burnished concrete coping completes pool perimeters, steps, pillars and walls. Confirm bullnose orientation and exposed edges with the final detail.

Format: Face dimensions / Thickness

Grand Crest coping: 8 x 14 in. / 2 3/4 in.

Vision



Timeless



Majestic



Reflection

Elevation Bullnose



A coordinated finishing component for walls, stairs and landscape transitions. Confirm the selected profile, edge treatment and dimensions before ordering.

Size (Nominal): 3 1/8" x 12" & 2 3/8"

Size (Actual): 80 mm x 300 mm x 60 mm

Thickness: 6 cm

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation Coping



Architectural coping with a ground face and eased or bullnose edges. Additional edge treatments are available by special order.

Size (Nominal): 12 x 24

Size (Actual): 11 3/4" x 23 3/4" (300mm x 600mm)

Thickness: 60mm



Artic Grind



Gold Grind



Ivory Grind



Mist Grind

Elevation Classic Precast Pool Coping



A rounded bullnose with top and bottom reveals for an elegant pool perimeter. Straights, inside and outside corners, and radius components resolve curved pool designs.

Component: Nominal dimensions / options

Straight: 14 x 24 x 2 1/2 in.

Inside / outside corner: 14 x 16 x 2 1/2 in.

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation Modern Precast Pool Coping



A rolling bullnose and restrained profile bring a soft, refined edge to contemporary pools. Coordinate straight pieces and outside corners in a selected precast color.

Component: Nominal dimensions / options

Straights: 18 x 18 x 2 in.; 18 x 24 x 2 in.

Outside corner: 18 x 18 x 2 in.

Elevation Square Modular Precast Pool Coping



A crisp square-edged coping for architectural pools, spas and precise deck transitions. Coordinating straights, corners and radius pieces support a considered perimeter.

Component: Nominal dimensions / options

Straights: 12 x 24, 14 x 24, 16 x 24, 16 x 36, 24 x 24 in.

Straight thickness: 2 1/2 in.

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation Classic Precast Wall Cap



Double-sided bullnose caps finish poolside seat walls and garden walls. Three-sided ends, corners, radius pieces and pilaster caps complete the architecture.

Component: Nominal dimensions / options

Straight widths: 8, 10 1/4, 12, 14, 16 and 24 in.

Straight length / thickness: 24 in. / 2 1/2 in.

Elevation Square Modular Precast Wall Cap



Strong horizontal lines and square profiles tie poolside walls, raised spas and planters to a contemporary coping palette.

Component: Nominal dimensions / options

Straight / end widths: 7 1/4, 9 1/4, 13 1/4 and 20 1/4 in.

Straight length / thickness: 24 in. / 3 3/8 in.

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation Slate-Texture Precast Wall Cap



A slate-textured architectural cap for walls, pillars and coordinated outdoor spaces. Straight, end, corner and radius components are available by special order.

Component: Nominal dimensions / options

Straight / end widths: 7 1/4, 9 1/4 and 13 1/4 in.

Straight length / thickness: 24 in. / 2 1/2 in.

Elevation Contemporary Wall Cap



A coordinated finishing component for walls, stairs and landscape transitions. Confirm the selected profile, edge treatment and dimensions before ordering.

Cap: Size / Face / Weight / Units/Layer / Layers/Pallet / Unit/Pallet / Area/Pallet / Weight/Pallet

Contemporary Wall Cap: 24 W x 12 x 2.375 in. H / 2 ln. ft. / 50 lbs. / 6 / 8 / 48 / 96 ln. ft. / 2,450 lbs



Mocha



Natural



Onyx

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation Wall & Pillar Caps



A coordinated finishing component for walls, stairs and landscape transitions. Confirm the selected profile, edge treatment and dimensions before ordering.

Specification: Format A / Format B / Format C

Size (in.): 135/8 x 18 / 135/8 x 18-14 / 135/8 x 18

Elevation 4 Inch Split-Face Wall Caps



A coordinated finishing component for walls, stairs and landscape transitions. Confirm the selected profile, edge treatment and dimensions before ordering.

Cap: Size / Face / Weight / Units/Layer / Layers/Pallet / Unit/Pallet / Area/Pallet / Weight/Pallet

4 in. Universal: 18 W x 11 x 4 in. H (Front) 14 W x 11 x 4 in. H (Back) / 1.5 ln. ft. / 54 lbs. (Split face front/back) / 9 / 5 / 45 / 67.5 ln. ft. / 2,480 lbs


Bluestone


Charcoal


Gray



Sandstone


Sandstone Brown


Santa Fe

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation Imperial Step



Dimensional concrete steps create strong transitions between coordinated paving and landscape levels.

Dimensions: Area / Weight / Units/Pallet / Pallet Weight

48 x 18 x 6 in. H: 6.0 sq. ft. / 409 lbs. / 6 (36 sq. ft.) / 2,504 lbs.



Charcoal



Mocha



Natural



Wheat

Elevation Grand Step



Concrete steps provide a substantial, coordinated transition between landscape levels.

Dimensions: Area / Weight / Units/Pallet / Pallet Weight

48 x 18 x 6 in. H: 6.0 sq. ft. / 409 lbs. / 6 (36 sq. ft.) / 2,504 lbs.



Beechwood



Charcoal



Natural



Wheat

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Granite Edger



COLOR VARIES BY SELECTION

A considered edge.

A split-face concrete edger with granite-inspired character defines planted beds, aggregate bands and paving transitions. Coordinate its three colors with the field material.

4 in. high

12 x 4 x 4 in.

THE COLOR PALETTE



Bluestone




Onyx



Santa Fe

Review physical samples for final selection. Dimensions and packing are in the Professional Specification Guide.

An arrival with purpose.



THE BRIEF

Give the approach a calm appearance while coordinating vehicle use, planting and surface water.

DESIGN INTENT

Treat the driveway, border and entrance as one palette. A dark edge can guide the eye without dominating the house.

MATERIAL DIRECTION

Eco-Stone granite blends for a designed resin-bound paving assembly; Tahoe or Palermo at the entrance; a paver border or Granite Edger at planting transitions.

Choose the border width around real cuts and terminations. Resolve where water enters the drainage assembly and where it can safely overflow.

Elevation Holland Eco Paver



Classic rectangular paving supports running-bond, basketweave and herringbone compositions.

Name: Size / Area/Unit / Weight/Unit / Units/Layer / Layers/Pallet / Units/Pallet / Weight/Pallet

Rectangle: 4.875 x 9.75 x 3.125 in." H / 0.34 sq. ft. / 13 lbs. / 28 (10.6 sq.ft.) / 8 / 224 (84.7 sq. ft.) / 3,050 lbs.



Beechwood



Moonlight Gray

Elevation Pacific-Eco



Purpose-designed paving for a complete drainage assembly. Coordinate joints, open-graded base, storage, soils, outlets and maintenance for the actual site.

Name: Size / Units/Layer / Layers / Units/Pallet / Weight/Pallet

Small Square: 4.87 x 4.87 x 3.12 H / 28 (13.44 sq.ft.) / 7 (425 lbs.) / 224 (94 sq.ft.) / 2,975 lbs.

Large Square: 9.75 x 9.75 x 3.12 H



Beechwood



Moonlight Gray

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation H2O Pro Pavers



4 x 8 in. / 80 mm class

A paving field that belongs to the drainage design.



Timeless



Majestic

Coordinate joints, open-graded base, storage, soils, outlets and maintenance for the actual site. Confirm the selected regional unit, loading and complete installation assembly.

Elevation Aqua-Via I



Purpose-designed paving for a complete drainage assembly. Coordinate joints, open-graded base, storage, soils, outlets and maintenance for the actual site.

Size (Nominal): 4 3/8" x 8 3/4"

Size (Actual): 112 mm x 224 mm

Thickness: 8 cm



Antique Pewter



Catina Blend

Elevation Aqua-Via II



Purpose-designed paving for a complete drainage assembly. Coordinate joints, open-graded base, storage, soils, outlets and maintenance for the actual site.

Size (Nominal): 8 3/4" x 8 3/4"

Size (Actual): 224 mm x 224 mm

Thickness: 8cm

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation Aqua-Via ML



Purpose-designed paving for a complete drainage assembly. Coordinate joints, open-graded base, storage, soils, outlets and maintenance for the actual site.

Size (Nominal): 4 3/8" x 4 3/8" - 4 3/8" x 8 3/4"

Size (Actual): 112 mm x 112 mm - 112 mm x 224 mm

Thickness: 8cm

Elevation Aqua-Via Trio



Purpose-designed paving for a complete drainage assembly. Coordinate joints, open-graded base, storage, soils, outlets and maintenance for the actual site.

Size (Nominal): 4 3/8" x 8 3/4" - 8 3/4" x 8 3/4" - 8 3/4" x 13 1/4"

Size (Actual): 112 mm x 224 mm - 224 mm x 224 mm - 224 mm x 336 mm

Thickness: 8cm

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

ELEVATION ECO-STONE

Natural aggregate.
A complete paving assembly.

01

SURFACE

Natural aggregate mixed with binder creates a continuous granular wearing surface.

02

BASE & SUPPORT

Specify the supporting assembly for the proposed traffic and site conditions.

03

WATER


Coordinate permeability, collection, outlet and overflow with the full drainage design.

DRIVEWAYS / BORDERS / PATIOS / APPROVED POOL-DECK BLENDS

Use the following selectors to build the palette. Confirm the selected blend and complete assembly for the intended use.

SYSTEM COORDINATION / THE APPROVED PRODUCT AND INSTALLATION DOCUMENTATION GOVERNS

A different blend.
A different expression.



LIGHT GRANITE / DRIVEWAY WITH A DARK AGGREGATE EDGE



WARM AGGREGATE / GARDEN TERRACE



GRAPHITE / POOL-GARDEN BORDER

Illustrated color directions. Select the specific granite or pedestrian blend from the following selectors and physical samples.

Eco-Stone granite colors.

GRANITE BLEND SELECTOR / DRIVEWAYS & WALKING SURFACES


Sunset Black Granite


Black Light Granite


Wintercorn Granite


Black Glow Granite


GTA Dark Granite


Montreal Granite


Muskoka Black Granite


Tremblant Grey Granite


Dark Canadian Shield Granite


Smokey Black Granite


Snowy Canadian Granite


Nunavut Granite


Muskoka Sunset Granite


Summer Sunset Granite


Canadian Shield Granite


Ottawa Granite


Midnight Black Granite


Sunset Granite


Quebec Granite


Boston Granite


St Sauveur Granite

Complete supplier reference palette. Regional availability differs. Confirm the selected blend, binder and assembly with Colorado Patio & Shade. Physical samples govern final selection.

Eco-Stone premium colors.

PREMIUM PEDESTRIAN BLEND SELECTOR


Brown Marble


Salt n Pepper Sunset


Arctic Sunset


Himalayan Salty Marble


Green Marble


Seashell Marble


Tremblant Summit


Grey Marble


Salt n Pepper Marble


Arctic Granite


White Marble

Complete supplier reference palette. Regional availability differs. Confirm the selected blend, binder and assembly with Colorado Patio & Shade. Physical samples govern final selection.

Choose the system for the surface.

ECO-STONE	SURFACE-X
MATERIAL	
Natural aggregate mixed with binder.	Applied architectural finish.
DESIGN ROLE	
A continuous granular paving surface.	A coordinated finish over a suitable prepared substrate.
PALETTE	
Granite and premium pedestrian aggregate blends.	Color and texture selected separately.
COORDINATION	
Traffic, base, restraint, drainage and transitions.	Substrate condition, repairs, movement joints and terminations.

Select the approved assembly for the intended use, then coordinate physical samples with adjoining pavers, walls, steps and coping.

A new life for the existing.



THE BRIEF

Update a sound existing outdoor space while preserving a useful layout and architectural character.

DESIGN INTENT

Connect suitable prepared concrete surfaces with one restrained finish and a coordinated color.

MATERIAL DIRECTION

Surface-X is an applied architectural finish, with separate color and texture selections. Eco-Stone is resin-bound aggregate paving; it serves a different role.

Preserve required movement joints. Resolve the finish at risers, caps and adjoining brick rather than hiding those connections.

ELEVATION SURFACE-X

A considered finish.
A coordinated substrate.

01

FINISH

Select the color, texture and approved finish system for the intended use.

02

PREPARATION

Identify repairs, compatibility and required preparation before application.

03

SUBSTRATE

Review existing concrete, movement joints, moisture and terminations together.

TERRACES / STEPS / WALLS / CAPS / APPROVED COPING APPLICATIONS

Color and texture are separate selections. The following pages bring preparation, finishes and reference samples together.

SYSTEM COORDINATION / THE APPROVED PRODUCT AND INSTALLATION DOCUMENTATION GOVERNS

From masonry.
To a monolithic finish.





01 **CMU CORE**

Establish the masonry form and structural support.

02 **PREPARED SUBSTRATE**

Resolve repairs and the approved basecoat or preparation.


03 **SURFACE-X FINISH**

Trowel the selected finish onto the exterior faces.

Exterior finish concept. The burner/liner, ventilation, clearances, substrate and coating must form a coordinated approved assembly. Surface-X is shown on exterior faces, not as a firebox lining.

ELEVATION SURFACE-X

A warmer neutral.
A cooler grey. Your palette.



Polar Bear




Taupe Grey



Mojave



Modern Grey



Phantom



Baked Clay

CORSA FINISH / SIX REFERENCE COLORS

These are photographed finish samples. Color and availability depend on the selected system; approve physical samples for the project.

Five finishes.
Five ways to shape the light.



Corsa

Smooth trowel work with soft tonal movement.

REFERENCE COLOR / PHANTOM



Solid

An even color with minimal tonal variation.

REFERENCE COLOR / SILVER STONE



Grain

An organic, grain-like texture with visual movement.

REFERENCE COLOR / PHANTOM



Vellum

A more tactile, lightly textured appearance.

REFERENCE COLOR / PHANTOM



Polished

A smooth surface with pronounced tonal variation.

REFERENCE COLOR / MODERN GREY

Finish and color are separate selections. Confirm the selected system and texture for exterior or wet walking surfaces.

Photographed Surface-X finish references. Trowel application creates natural variation; the approved project sample governs.

The final detail completes the surface.





PHNA / JOINTING

Resin jointing compounds and aggregate binders selected around material, joint geometry, traffic and drainage.

ELEVATION SRW

Polymeric sands, joint stabilization, penetrating protection and selected color-enhancing sealers.

ELEVATION SURFACE-X

Titan Shield Gloss and Sealer Matte for compatible prepared cementitious surfaces.

Match the joint and sealer to the paving assembly. Confirm compatibility and curing sequence before combining products.

Elevation Xtreme Easy / Joint 840 plus



Select the surface or jointing system around the paving material, joint geometry, traffic and drainage assembly.

Joint width / application: 1/8 in for tile; 1/4 in for concrete pavers

Joint depth: Recommended 30 mm minimum; wider joints need additional depth



Neutral



Stone Grey



Basalt



Silver Grey

Elevation Xtreme / Joint 850 plus



Select the surface or jointing system around the paving material, joint geometry, traffic and drainage assembly.

Joint width / application: 3/16 in or wider

Joint depth: Follow the current joint depth and bedding specification



Neutral



Stone Grey



Basalt

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation Xtreme Ceramic / Joint 815 plus



Select the surface or jointing system around the paving material, joint geometry, traffic and drainage assembly.

Joint width / application: 1/8 in or wider

Joint depth: 20 mm bonded bedding; 30 mm non-bonded bedding recommended



Neutral



Stone Grey



Basalt

Elevation Gravel Lock / Joint 520



Select the surface or jointing system around the paving material, joint geometry, traffic and drainage assembly.

Joint width / application: Extra-wide joints / resin-bound aggregate

Joint depth: Minimum depth follows aggregate size and loading

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

A better joint starts with the right sand.



Pavermate Z3

Precision for paver joints.

Concrete-paver patios, walks, driveways and pool decks.

JOINT WIDTH / 1/16-2 in.*

Tan / Granite / Black / Ivory; Beige in select regions.

Not porcelain, flagstone or pool coping. Overlay joints: 1 in. maximum.



X-Treme

For wider stone joints.

Natural-stone and wetcast pedestrian patios, walks and pool decks.

JOINT WIDTH / 1/4-6 in.*

Tan / Granite.

Not concrete pavers, clay pavers, overlays or pool coping.

50 lb bags / *Maximum width at intersections. Minimum joint depth 1.5 in. Match installation instructions to the exact surface; these sands do not replace open-graded aggregate joints in permeable paving.

Pavermate Z3

The joint is part of the palette.



Tan



Granite



Black



Ivory

BEIGE / REGION-SPECIFIC

Beige is also listed in the current Z3 program. Confirm regional availability and request a physical sample before specifying.

50 LB BAGS / TAN / GRANITE / BLACK / IVORY / BEIGE

Specify for the approved concrete-paver joint and installation. Z3 is not recommended for porcelain, flagstone, persistently wet or heavily shaded areas, or pool coping joints.

Allow 28 days before cleaning or sealing. Printed colors are indicative; approve the sand sample with the selected paver.

Keep the material in the foreground.



PS

Penetrating

Water-based / natural look

Concrete and clay pavers, block walls and manufactured stone.



PSX

Penetrating X-treme

Water-based / natural look

High-traffic concrete paving and approved masonry.



S-PS

Stone Penetrating

Solvent-based / natural look

Natural stone including granite, limestone, bluestone and travertine.



S-PSX

Stone Penetrating X-treme

Solvent-based / natural look

High-traffic natural stone and approved commercial surfaces.



JS

Joint Stabilizer

Water-based / matte

Seals paving and stabilizes approved sand joints up to 3/4 inch.

Choose by substrate, finish and existing treatment. Confirm compatibility with the paving manufacturer, particularly factory-treated surfaces, porcelain and permeable assemblies. Test a discreet area. Availability and regional VOC formulations vary.

Choose the finish. Control the sheen.



LG

Low Gloss

Water-based / low gloss

Color enhancement and joint stabilization for concrete pavers.



HG

High Gloss

Water-based / high gloss

A wet-look finish for compatible concrete pavers.



LGX

Low Gloss X-treme

Solvent-based / low gloss

High-traffic concrete pavers, wetcast and selected natural stones.



HGX

High Gloss X-treme

Solvent-based / high gloss

Wet-look finish for concrete pavers, wetcast and selected stones.



DG

Dual Guard

Solvent-based / high gloss

Film-forming and penetrating protection in one formula.



PRX

Paver Restore X-treme

Solvent-based / pigmented high gloss

Color restoration for compatible faded concrete pavers.

Choose by substrate, finish and existing treatment. Confirm compatibility with the paving manufacturer, particularly factory-treated surfaces, porcelain and permeable assemblies. Test a discreet area. Availability and regional VOC formulations vary.

Choose the sheen. Protect the surface.





Titan Shield Gloss

A CLEAR GLOSS EXPRESSION

Water-based polyurethane-hybrid sealer for compatible concrete, pavers, block and microtoppings. For approved interior and exterior assemblies.

Sealer Matte

A QUIETER, LOW-SHEEN FINISH

Single-component, water-based polyurethane-hybrid protection for compatible cementitious surfaces, including pavers and prepared Surface-X finishes.

SPECIFY THE COMPLETE SYSTEM

Review substrate, previous treatments, moisture, intended use, sheen and traction together. Select any non-skid additive and the full application sequence with the current system documentation.

SEMCO-manufactured protective sealers offered within Elevation Surface-X.

Elevation Contemporary Gas Burning Fire Pit Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Kit: Dimensions (W x D x H) / Pallets

Gas fire pit: 48 x 48 x 20 in / 1



Beechwood



Cascade



Onyx

Elevation Contemporary Gas Burning Fire Table Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Kit: Dimensions (W x D x H) / Pallets

Gas fire table: 68 x 20 x 20 in / 1



Beechwood



Cascade



Onyx

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation Fire Features

Six distinct silhouettes. One considered outdoor room.



Elevation Luna

Disc & pedestal / 32 / 38 / 45 / 55 / 65 in.



Elevation Toba

Classic bowl / 35 / 38 / 45 / 52 in.



Elevation Enya

Square / 32 / 38 / 45 in.



Elevation Gather

Linear table / 55 / 65 / 75 / 85 / 95 in.



Elevation Nido

Sculpted form / 55 / 65 / 75 in.




Elevation Canyon

Organic linear / 55 / 65 / 75 / 85 / 95 in.

Nominal model sizes shown. Confirm overall dimensions, fuel, burner, ignition and accessories with the selected configuration before ordering.

Color. Texture. Character.


Seven concrete colors. Three distinct finish expressions.



Shasta Snow



Tule Fog



Alpine Mist



La Jolla Sands



Cascade Cliffs



Mojave Playa




Pacific Midnight




Smooth

A refined concrete face.



Raw

A more open, tactile face.



Wood Grain Sides

Formed grain on side faces.

Finish choices vary by model; Wood Grain Sides is offered on compatible styles. Color and texture vary naturally. Approve physical samples, then confirm fuel, ignition and the complete configuration.

Elevation Contemporary Wood Burning Fire Pit Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.



Beechwood



Cascade



Onyx

Elevation Grand Fire Ring Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Configuration: Dimensions / Pallets

3 courses: 48 in diameter x 12 in high / 1



Beechwood



Bluestone



Cascade



Santa Fe

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation Tribute Square Fire Pit Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Kit component: Published dimensions / quantity

Outer footprint: 56 x 56 in

Wall units: 24 units; 6 in high



Beckon



Enlighten



Timeless



Majestic



Reflection

Elevation Unity Square Fire Pit Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Kit component: Published dimensions / quantity

Outer footprint: 54 x 54 in

Wall units: 30 large units; 9 x 18 x 4 in



Enlighten



Timeless



Allure



Majestic



Reflection

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation Contemporary Fireplace Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Component: Dimensions (W x D x H) / Pallets

Fireplace: 52 x 32 x 86.25 in / 4 / 5 - confirm configuration



Beechwood



Cascade



Onyx

Elevation Grand Fireplace Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.



Indiana Limestone (Cap/Top)



Beechwood



Bluestone



Cascade



Santa Fe

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

Elevation Contemporary Island Bar & Grill Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Kit: Dimensions (W x D x H) / Pallets

Island grill: 80 x 32 x 40.75 in / 4



Beechwood



Cascade



Onyx

Elevation Grand Island Bar & Grill Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.



Indiana Limestone (Cap/Top)



Beechwood



Bluestone



Cascade



Santa Fe

Full dimensions, packing and complete color lists: Professional Specification Guide or scan the product code.

The kitchen belongs in the architecture.



AGORA OUTDOOR CABINETRY

Build the kitchen plan around the appliances, storage and working surfaces. Coordinate cabinet finish, hardware and countertop with the hardscape palette and the shade structure.

THE MATERIALS

Carry the paving color into the countertop and wall-cap discussion.

THE STRUCTURE


Resolve louvered roof, lighting and kitchen clearances together.

THE EXPERIENCE

Bring fire, seating and the outdoor kitchen into one connected room.

Agora product reference shown. Configuration, appliances, countertop and finish selected separately through Colorado Patio &

Geometry at a whole new scale.



ELEVATION HEXAGON 24

A broad hexagonal face. A deliberate color rhythm. An architectural surface that gives a gathering space its own identity.

24 IN.
NOMINAL MODULE

70 MM
THICKNESS

3 MM
NOMINAL JOINT

Elevation Hexagon

Six-sided geometry creates distinctive patterns for courtyards, paths and feature areas.



COLOR & FINISH

Confirm the current color and finish program with Elevation.

FORMAT & ORDERING

Size (Nominal)
Hexagon

Size (Actual)
7 7/8" x 7 7/8" (198mm x 228mm)


Thickness
80mm

Stones Per Sq Ft
2.7

Stones Per Pallet
176

Full ordering tables: Professional Specification Guide. Printed colors are a guide; approve physical samples.

One module. Precisely defined.



REGULAR HEXAGON / PLAN

NOMINAL MODULE

24 in. / 609.6 mm across flats

ACTUAL FACE

606.6 mm across flats

UNIT THICKNESS

70 mm / approx. 2.76 in.

NOMINAL JOINT

3 mm

The dimension is across flats.

The 24-inch designation describes the nominal module across opposing flat sides, including its nominal joint. It is not the corner-to-corner measurement.

Geometry reference only. Confirm the actual joint, installation assembly, traffic loading, drainage, accessibility and edge restraint with the project team. Ordering data and technical coordination are in the specification guide.

Build a palette that belongs together.

01

BRING THE PLACE

Bring plans, site photographs and the project location. Identify the way you want to use the space.

02

COMPARE THE MATERIALS

Review the paving field with borders, wall faces, caps, coping and steps. Compare physical samples in the intended light.

03

RESOLVE THE CONNECTIONS

Coordinate dimensions, finished levels, drainage, joints and transitions with the project team before ordering.

VISIT THE WESTMINSTER SHOWROOM

720-613-6700

sales@coloradopatioshade.com

Find your collection.

3 x 18	**45**
3 x 24	**45**
3 x 9	**45**
4 Inch Split-Face Wall Caps	**67**
4 x 12	**45**
4 x 16	**46**
4 x 20	**46**
4 x 24	**46**
6 x 12	**47**
6 x 24	**47**
6 x 30	**47**
6 x 6	**46**
6 x 9	**47**
Accent Pavers	**32**
Aggregate finishes / Custom	**49**
American Brick	**31**
Aqua-Via I	**73**
Aqua-Via II	**73**
Aqua-Via ML	**74**
Aqua-Via Trio	**74**
Bullnose	**62**
Bullnose Paver	**61**
Cheyenne	**17**
Classic Precast Pool Coping	**63**
Classic Precast Wall Cap	**65**
Coastal 12 x 24	**43**
Coastal 3-piece	**43**
Coastal 6 x 12	**43**
Cobble	**30**
Compac	**56**
Contemporary Fireplace Kit	**98**
Contemporary Gas Burning Fire Pit Kit	**93**
Contemporary Gas Burning Fire Table Kit	**93**
Contemporary Island Bar & Grill Kit	**99**
Contemporary Wall	**60**
Contemporary Wall Cap	**66**
Contemporary Wood Burning Fire Pit Kit	**96**
Contours	**25**
Contours XL	**18**
Coping	**63**
Discover Pavers	**27**
Eco-Stone	**77**
ELEMENTS Pavers	**33**
Elevation Fire Features / Canyon	**94**
Elevation Fire Features / Colors & finishes	**95**
Elevation Fire Features / Enya	**94**
Elevation Fire Features / Gather	**94**
Elevation Fire Features / Luna	**94**
Elevation Fire Features / Nido	**94**
Elevation Fire Features / Toba	**94**
Elevation SRW / Sands & sealers	**85**
Elevation Surface-X	**81**
GeoCeramica	**14**
Grand CREST COPING Pavers	**62**
Grand Discover	**20**
Grand Discover XL Slabs	**11**

Find your collection.

Grand Fire Ring Kit **96**
Grand Fireplace Kit **98**
Grand FUSION Pavers **21**
Grand Island Bar & Grill Kit **99**
Grand REVERENCE Pavers **22**
Grand Step **68**
Granite Edger **69**
Gravel Lock / Joint 520 **87**
H2O PRO Pavers **72**
Hexagon **102**
Hexagon 24 **101**
Holland **34**
Holland Eco Paver **71**
Imperial Step **68**
Influence Plank Pavers **48**
Legacy **28**
Modern Precast Pool Coping **64**
Pacific-Eco **71**
Palazzo 12 x 12 **41**
Palazzo 24 x 24 **41**
Palazzo Pavers **41**
Palermo Pavers **29**
Palisades Wall **53**
Pavermate Z3 / Color selector **89**
Premier 6 Contemporary **52**
Premier 6 Wall **51**
PRESTIGE COPING Pavers **61**
Reno **23**
Silhouette **26**
Silhouette XL **19**
Slate Border **37**
Slate-Texture Precast Wall Cap **66**
Square Modular Precast Pool Coping **64**
Square Modular Precast Wall Cap **65**
Stonegate **55**
Strata **12**
Surface-X / Color selector **83**
Surface-X / Finish options **84**
Surface-X / Protective sealers **92**
Tahoe **24**
Titan Slabs **10**
Tribute Smooth Wall **57**
TRIBUTE Square Fire Pit Kit **97**
Tribute Wall **58**
Umbriano 12 x 24 **35**
Umbriano 4-piece **35**
Umbriano 6 x 12 **36**
Umbriano 6 x 9 **36**
UNITY Square Fire Pit Kit **97**
Unity Wall **59**
Vista **13**
Wall & Pillar Caps **67**
Windom Slabs **16**
Xtreme / Joint 850 plus **86**
Xtreme Ceramic / Joint 815 plus **87**
Xtreme Easy / Joint 840 plus **86**

Choose with confidence.

COLOR & FINISH

Use physical samples to approve color, texture and finish. Natural aggregates and production lots create variation. Printed and digital images are selection references.

PHOTOGRAPHY

Corrected product pages use published product-face references. Colorado design studies are visualizations with proposed palettes, rather than completed-project credits. Visualizations do not establish a product's exact face or module.

THICKNESS

Specify thickness by format. Umbriano 12 x 24 is published at 50 mm; 4-piece, 6 x 12 and 6 x 9 are 60 mm. Palazzo featured formats are 50 mm. Coordinate mixed-thickness materials in the base detail.

PERFORMANCE

Traffic, permeability, drainage and frost performance depend on the complete assembly, subgrade and maintenance plan. Design borders and drain zones as part of that assembly.

ORDERING

Confirm product, finish, color, unit type, caps, coping, steps, border, jointing, quantities and delivery together. Special-order availability and regional programs vary.

ELEVATION
HARDSCAPES

Bring the plan.
Build the whole space.

Paving, walls, steps, surfaces, shade and outdoor living.

COLORADO PATIO & SHADE

3700 W. 69th Pl. / Westminster, CO 80030

720-613-6700

sales@coloradopatioshade.com