ELEVATION HARDSCAPES

THE COLORADO COLLECTION / 2026

PROFESSIONAL SPECIFICATION GUIDE.



DIMENSIONS / THICKNESSES / COLOR / PACKING

The technical companion to the Elevation Hardscapes catalog. Select each format and finish as part of a complete project assembly.

Specify the format. Then the thickness.

Collection / format	Published thickness
Titan / Strata / Vista / Windom / Cheyenne	60 mm
Contours / Contours XL / Silhouette / Silhouette XL	60 mm
Reno / Tahoe / Cobble / American Brick	60 mm
Discover / Grand Discover / Grand Discover XL	70 mm
Legacy	70 mm
Palermo	70 mm
Umbriano 12 x 24	50 mm
Umbriano 4-piece / 6 x 12 / 6 x 9	60 mm
Palazzo 12 x 12 / 12 x 24 / 24 x 24	50 mm
Coastal featured 3-piece / 6 x 12 / 12 x 24	60 mm
GeoCeramica featured formats	1.6 in. overall
Hexagon 24	70 mm
Architectural planks	Format-dependent; see individual tables
Eco-Stone	Project-designed assembly

The Umbriano 12 x 24 is a published 50 mm exception. A family name does not establish a universal thickness. Never treat wall height, coping thickness and paver thickness as interchangeable.

The format makes the difference.

Collection / format	Published thickness
Accent pavers / smooth and textured	60 mm
Holland / selected 6 cm and 8 cm formats	60 / 80 mm
Elements / Grand Fusion / Grand Reverence	70 mm
Hexagon / smaller featured format	80 mm
Holland Eco / Pacific-Eco	80 mm
H2O Pro	80 mm
Aqua-Via I / II / ML / Trio	80 mm
3 x 9 / 3 x 18 / 3 x 24 planks	100 mm
4 x 12 individual format	60 / 80 / 100 mm
4 x 16 / 4 x 20 / 4 x 24 planks	80 mm
6 x 6 / 6 x 9 individual formats	60 / 80 mm
6 x 12 individual format	60 / 80 / 100 mm
6 x 24 / 6 x 30 planks	80 mm
Influence plank combination	3 1/8 in. / nominal 80 mm

Multiple values mean separate thickness options, not a mixed-thickness pallet. Match the exact size, thickness, finish, color and packing in the individual product table. Regional Holland listings require confirmation of the selected format.

Soft texture.
Quiet luxury.



A softer expression of Colorado modern.

Fine mineral faces. Warm whites, sand and greige. Let gentle texture carry the interest, then frame the paving with a subtle Umbriano or Coastal border in a neighboring tone.

CEDAR / MINERAL TEXTURE / SOFT PLANTING / A TONAL EDGE

Build the soft palette.

Choose one paving field. Keep the border close in tone.



Elevation Grand Reverence

Fine bush-hammered texture.
Vision / Allure.



Elevation Grand Discover

Vision / Allure.
Smooth face, gentle color movement.



Elevation Palazzo

Contempo or Venetian mineral texture.
Champagne / Grey Mist.



Elevation Coastal

White Ivory FM / Mist FM.
Exposed shell and aggregate.



Elevation Windom Slabs

Sahara / Sterling / Kodiak Sand.
Quiet neutrals in larger modules.



Subtle borders

Umbriano Desert or Greystone;
Coastal White Ivory FM.

Keep the border quiet: a restrained band, simple corners and little contrast. Coordinate wall caps and coping in the same tonal family.

Elevation Titan Slabs



Expansive 24 x 36-inch slabs create clean lines and a generous architectural scale for patios and outdoor rooms.

Format	Actual dimensions	Units / pallet	Coverage / pallet
Slab	23.62 x 35.43 x 2 3/8 in	16	90.8 sq ft

Colors & finishes: Kodiak Sand, Sahara, Sterling, Pewter

Elevation Grand Discover XL Slabs



A single 16 x 32-inch slab with a smooth face and generous rectangular proportions. Coordinate it with the Discover family for a unified palette.

Format	Nominal dimensions	Thickness	Units / pallet	Coverage / pallet
Single slab	16 x 32 in	2 3/4 in (70 mm)	24	85.36 sq ft

Colors & finishes: Enlighten, Vision, Timeless, Allure, Majestic

Factory sealing is available for select colors. Confirm current color and production options.

Elevation Strata



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Strata™ Slab	23.62 x 11.81 x 2-3/8 in. H	2 sq. ft	54.3 lbs.	6	8 (12 sq. ft)	48 (96 sq. ft.)	2,655 lbs.

Colors & finishes: Kodiak Sand, Charcoal, Sahara, Sterling

Elevation Vista



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Vista™ Slab	23.62 x 23.62 x 2-3/8 in. H	4 sq. ft	108.5 lbs.	2	10 (8 sq. ft)	20 (80 sq. ft.)	2,205 lbs.

Colors & finishes: Kodiak Sand, Charcoal, Sahara, Sterling

Elevation GeoCeramica



Porcelain surfacing bonded to a concrete paver base creates a hybrid slab for refined patios and outdoor rooms. Actual website dimensions are listed below.

Format	Actual dimensions	Units / pallet	Coverage / pallet
Square	23.62 x 23.62 x 1.6 in	26	100.75 sq ft
Rectangle	11.81 x 23.62 x 1.6 in	52	100.75 sq ft

Colors & finishes: Pearle, Taupe, Sable, Smoke

Porcelain face bonded to a concrete paver base. Confirm the full bedding, edge restraint, and jointing specification.

Elevation Windom Slabs



A smooth architectural face and a larger three-piece module bring balanced scale to patios, walkways and outdoor living spaces.

Format	Actual dimensions
Small	7.79 x 15.66 x 2 3/8 in
Medium	15.66 x 15.66 x 2 3/8 in
Large	15.66 x 23.54 x 2 3/8 in

Colors & finishes: Kodiak Sand, Cascade, Glacier Creek, Latte, Pewter, Sahara, Sedona, Sterling

Porcelain above. Concrete below.



A FACTORY-BONDED SYSTEM / APPROX. 40 MM TOTAL



Section schematic / bond thickness exaggerated for clarity.

01 / 10 mm porcelain face

02 / AquaFerm bonding layer

03 / Stabikorn concrete base

A slip-resistant porcelain finish.

The engineered porcelain walking surface combines slip resistance with a refined appearance. A factory-applied bonding system joins it to the concrete base; the 3 mm auto-spacer helps keep joints consistent.

Slip resistance varies with surface conditions. Confirm the selected finish and project requirements for wet areas. Square: 23.62 x 23.62 x 1.6 in.; rectangle: 11.81 x 23.62 x 1.6 in.

Elevation Cheyenne



Cheyenne combines larger three-piece proportions with a slate-inspired textured face for a layered, natural-looking paving composition.

Size/Name	Dimensions	Area/Unit	Weight	Units/Layer	Area/Layer	Layers/Pallet	Units/Pallet	Area/Pallet	Weight/Pallet
Small	7.79 x 15.66 x 2-3/8 in. H	0.85 sq. ft.	22.61 lbs.	2	10.2 sq. ft.	10	20	102 sq. ft.	2,763 lbs.
Medium	15.66 x 15.66 x 2-3/8 in. H	1.70 sq. ft.	45.23 lbs.	2	20				
Large	15.66 x 23.54 x 2-3/8 in. H	2.56 sq. ft.	68.1 lbs.	2	20				

Colors & finishes: Sahara, Glacier Creek, Latte, Sedona, Sterling

Elevation Contours XL



Subtle surface graining and coordinated modular sizes bring natural texture to an architectural paving layout.

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
XL Small	11.81 x 17.71 x 2-3/8 in." H	1.45 sq. ft.	39.5 lbs.	1	10 (7.26 sq. ft.)	30 (72.6 sq. ft.)	2,028 lbs.
XL Medium	17.71 x 17.71 x 2-3/8 in." H	2.18 sq. ft.	59.39 lbs.	1			
XL Large	29.52 x 17.71 x 2-3/8 in." H	3.63 sq. ft.	98.9 lbs.	1			

Colors & finishes: Beige, Mist, Flint

Elevation Silhouette XL



A smooth face and modular proportions create a clean, contemporary paving composition.

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
XL Small	11.81 x 17.71 x 2-3/8 in." H	1.45 sq. ft.	39.5 lbs.	1	10 (7.26 sq. ft.)	30 (72.6 sq. ft.)	2,028 lbs.
XL Medium	17.71 x 17.71 x 2-3/8 in." H	2.18 sq. ft.	59.39 lbs.	1			
XL Large	29.52 x 17.71 x 2-3/8 in." H	3.63 sq. ft.	98.9 lbs.	1			

Colors & finishes: Beige, Mist, Flint

Elevation Grand Discover



A smooth architectural surface and coordinated formats create flexible, clean-lined paving compositions.

Format	Nominal dimensions	Thickness
Small	8 x 16 in	2 3/4 in (70 mm)
Medium	16 x 16 in	2 3/4 in (70 mm)
Large	16 x 24 in	2 3/4 in (70 mm)

Colors & finishes: Enlighten, Vision, Intention, Timeless, Serenity, Allure, Majestic, Exalt

Factory sealing is available for select colors. Confirm current color and production options.

Elevation Grand Fusion Pavers



A textile-inspired face gives larger modular paving a distinct tactile character.

Size (in.)	8x16, 16x16,16x24
Pallet Type	2 of each size per Layer
Thickness (in.)	2 3/4
SQFT Per / Pallet	81.28
SQFT Per / Layer	10.16
Per Pallet / Layers	8
Sailor LNFT per / Layer	7.795
Sailor LNFT per / Pallet	62.36
UNITS per / Layer	2 of each size
UNITS per / Pallet	16 of each size
LBS per / Layers	332
LBS per / Pallet	2656

Colors & finishes: Vision, Intention, Exalt

Elevation Grand Reverence Pavers



A bush-hammered concrete face, softly worked edges and generous three-piece proportions create a textured architectural surface. Published application: pedestrian paving.

Format	Face dimensions	Thickness	Quantity
Three-piece combination	8 x 16, 16 x 16, 16 x 24 in.	2 3/4 in. / 70 mm	2 of each size per layer
Pallet coverage	81.28 sq. ft.	8 layers	16 of each size per pallet

Colors & finishes: Vision, Allure

Published application: pedestrian paving only; not intended for vehicular or driveway use. Bush-hammered face with factory sealing; confirm the exact color and current specification.

Elevation Reno



Compact, smooth three-piece modules create a versatile mixed-size composition. Compare the selected thickness and application with your project requirements.

Format	Actual dimensions
Small	4.87 x 9.87 x 2 3/8 in
Medium	9.87 x 9.87 x 2 3/8 in
Large	14.75 x 9.87 x 2 3/8 in

Colors & finishes: Kodiak Sand, Cascade, Glacier Creek, Latte, Sahara, Sedona, Sterling

Elevation Tahoe



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	4.87 x 9.87 x 2-3/8 in. H	0.33 sq. ft.	8.86 lbs.	8	8 (11.75 sq. ft)	152 (94 sq. ft.)	2,575 lbs.
Medium	9.87 x 9.87 x 2-3/8 in. H	0.67 sq. ft.	18.26 lbs.	6			
Large	14.75 x 9.87 x 2-3/8 in. H	1.01 sq. ft.	27.13 lbs.	5			

Colors & finishes: Latte, Cascade, Glacier Creek

Ask Elevation to confirm the current published color palette.

Elevation Contours



Subtle surface graining and coordinated modular sizes bring natural texture to an architectural paving layout.

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	9.84 x 4.92 x 2-3/8 in. H	0.34 sq. ft.	9.18 lbs.	4	10 (8.08 sq. ft.)	120 (80.8 sq. ft.)	2,235 lbs.
Medium	9.84 x 9.84 x 2-3/8 in. H	0.68 sq. ft.	18.37 lbs.	4			
Large	14.75 x 9.84 x 2-3/8 in. H	1.01 sq. ft.	27.29 lbs.	4			

Colors & finishes: Beige, Mist, Flint

Elevation Silhouette



A smooth face and modular proportions create a clean, contemporary paving composition.

Size	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small	9.84 x 4.92 x 2-3/8 in." H	0.34 sq. ft.	9.18 lbs.	4	10 (8.08 sq. ft.)	120 (80.8 sq. ft.)	2,235 lbs.
Medium	9.84 x 9.84 x 2-3/8 in." H	0.68 sq. ft.	18.37 lbs.	4			
Large	14.75 x 9.84 x 2-3/8 in." H	1.01 sq. ft.	27.29 lbs.	4			

Colors & finishes: Beige, Mist, Flint

Ask Elevation to confirm the current published color palette.

Elevation Discover Pavers



A smooth architectural surface and coordinated formats create flexible, clean-lined paving compositions.

Size (in.)	4x8, 8x8, 12x8
Pallet Type	10 of each size per layer
Thickness (in.)	2 3/4
SQFT Per / Pallet	99.6
SQFT Per / Layer	12.45
Per Pallet / Layers	8
Sailor LNFT per / Layer	19.55
Sailor LNFT per / Pallet	156.4
UNITS per / Layer	10 of each size
UNITS per / Pallet	80 of each size
LBS per / Layers	410
LBS per / Pallet	3280

Colors & finishes: Enlighten, Intention, Timeless*, Serenity, Allure, Majestic, Exalt, Reflection

Elevation Legacy



Narrow rectangular pavers with weathered faces and irregular edges bring cobblestone character to herringbone patterns, entries and outdoor living spaces.

Format	Dimensions	Height
Paver	2.36 x 7.48 in	2 3/4 in

Colors & finishes: Reverie, Reflection

Elevation Holland



Classic rectangular paving supports running-bond, basketweave and herringbone compositions.

Name/Size	Dimensions	Area/Unit	Weight	Units/Band	Bands/Pallet	Units/Pallet	Area/Band	Area/Pallet	Weight/Pallet
6cm	8.50 x 4.25 x 2.375 in." H	0.24 sq. ft.	7 lbs.	80	5	400	19.6 sq. ft.	98 sq. ft.	2,785 lbs.

Name/Size	Dimensions	Area/Unit	Weight	Units/Band	Bands/Pallet	Units/Pallet	Area/Band	Area/Pallet	Weight/Pallet
8cm †	8.50 x 4.25 x 3.125 in." H	0.24 sq. ft.	9 lbs.	56	5	280	13.8 sq. ft.	69 sq. ft.	2,560 lbs.

Colors & finishes: Beechwood, Antique Copper, Bone, Mocha, Moonlight Gray, Natural, Onyx, Rosewood

Ask Elevation to confirm the current published color palette.

Elevation Palermo Pavers



Fine cobblestone faces, softly irregular edges and a uniform module create a classic European paving character.

Format	Published specification
Module dimensions	16 x 15 x 22 cm / 6.30 x 5.91 x 8.66 in. (interlocking profile)
Thickness	7 cm / 2.75 in.
Appearance	Embossed small cobblestone faces within a uniform interlocking module
Stones per sq ft	3.139
Stones per pallet	300
Sq ft per pallet	95.58 (2026 cut sheet)
Weight per piece	9 lb
Weight per pallet	2,950 lb

Colors & finishes: Limestone FM, Antique Pewter FM, Graphite FM, Laguna Dunes FM, Umbriano / Desert FM, Umbriano / Greystone FM, Umbriano / Onyx FM

Use the current Palermo cut sheet and laying guidance. The small cobblestone faces are molded into an interlocking unit; they are not separately ordered stones. Resin sand requires explicit manufacturer compatibility approval.

Elevation Cobble



A cobblestone-style profile creates textured paving, accents and borders. Its permeable application depends on the complete joint and base design.

Name	Size	Face Area/Unit	Units/Layer	Area/Layer	Layers/Pallet	Units/Pallet	Weight/Pallet
Small	7.125 x 5.875 x 2.375 in." H	0.29 sq. ft.	8	(Sold as sets) 12.33 sq. ft.	8	192 (98.7 sq. ft.)	2,550 lbs.
Medium	8.625 x 5.875 x 2.375 in." H	0.36 sq. ft.	8				
Large	10.375 x 5.875 x 2.375 in." H	0.42 sq. ft.	8				
Extra-Large	11.875 x 5.875 x 2.375 in." H	0.48 sq. ft.	8				

Colors & finishes: Beechwood, Moonlight Gray, Onyx

Elevation American Brick



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Size/Name	Dimensions	Area/Unit	Weight	Layers/Pallet	Units/Layer	Units/Pallet	Area/Layer	Area/Pallet	Weight/Pallet
American Brick	8 x 2.5 x 2.375 in. H	0.14 sq. ft.	3 lbs.	10	60	600	8.4 sq. ft.	84 sq. ft.	1,800 lbs.

Colors & finishes: Wheat, Mocha, Onyx

Elevation Accent Pavers



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Name	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Smooth Top	5.75 x 11.5 x 2-3/8 in." H	0.46 sq. ft.	12 lbs.	18	10 (8.3 sq. ft.)	180 (83 sq. ft.)	2,225 lbs.

Name	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Textured Top	5.75 x 11.5 x 2-3/8 in."" H	0.46 sq. ft.	12.9 lbs.	21	10 (9.7 sq. ft)	210 (97 sq. ft.)	2,591 lbs.

Colors & finishes: Smooth Bone, Slate Mocha, Slate Natural, Slate Onyx, Smooth Mocha, Smooth Natural, Smooth Onyx

Elevation Elements Pavers



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Size (in.)	4x8
Pallet Type	Single
Thickness (in.)	2 3/4
SQFT Per / Pallet	101.28
SQFT Per / Layer	12.66
SQFT Per / Unit	0.214
Per Pallet / Layers	8
Soldiers LNFT per / Layer	19.32
Soldiers LNFT per / Pallet	154.58
Sailor LNFT per / Layer	38.64
Sailor LNFT per / Pallet	309.16
UNITS per / Layer	59
UNITS per / Pallet	472
LBS per / Layers	420
LBS per / Pallet	3360

Colors & finishes: Enlighten, Vision, Beckon*, Reflection*, Allure, Majestic, Timeless, Serenity

Elevation Umbriano 12 x 24



Granite-inspired color movement and a refined concrete face add depth to coordinated paving, borders and accents.

Size (Nominal)	11 3/4" x 23 1/2"
Size (Actual)	300 mm x 600 mm
Thickness	50 mm
Stones Per Sq Ft	0.5
Stones Per Pallet	60
Sq Ft Per Pallet	120
Weight Per Piece	55.6
Weight Per Pallet	2,747

Colors & finishes: Desert FM, Greystone FM, Onyx FM, Sedona FM

Elevation Umbriano 4-piece



Granite-inspired color movement and a refined concrete face add depth to coordinated paving, borders and accents.

Size (Nominal)	5 7/8" x 5 7/8" - 5 7/8" x 8 7/8" - 8 7/8" x 8 7/8" - 8 7/8" x 11 3/4"
Size (Actual)	150 mm x 150 mm - 150 mm x 225 mm - 225 mm x 225 mm - 225 mm x 300 mm
Thickness	60 mm
Stones Per Pallet	300
Sq Ft Per Pallet	109
Weight Per Pallet	3,200

Colors & finishes: Desert FM, Greystone FM, Granite Beige FM (Special Order), Onyx FM (Special Order)

Elevation Umbriano 6 x 12



Granite-inspired color movement and a refined concrete face add depth to coordinated paving, borders and accents.

Size (Nominal)	6 x 12
Size (Actual)	5 7/8" x 11 3/4" (150mm x 300mm)
Thickness	60 mm
Stones Per Sq Ft	2
Stones Per Pallet	240
Sq Ft Per Pallet	120
Weight Per Piece	13.2
Weight Per Pallet	3,213

Colors & finishes: Desert FM, Greystone FM, Onyx FM, Sedona FM

Elevation Umbriano 6 x 9



Granite-inspired color movement and a refined concrete face add depth to coordinated paving, borders and accents.

Size (Nominal)	5 7/8" x 8 7/8"
Size (Actual)	150 mm x 225 mm
Thickness	60 mm
Stones Per Sq Ft	2.7
Stones Per Pallet	300
Sq Ft Per Pallet	109
Weight Per Piece	9.7
Weight Per Pallet	2,973

Colors & finishes: Desert FM, Greystone FM, Onyx FM, Sedona FM

Elevation Palazzo 12 x 12



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Size (Nominal)	12 x 12
Size (Actual)	11 3/4" x 11 3/4" (297mm x 297mm)
Thickness	50mm
Stones Per Sq Ft	1
Stones Per Pallet	120
Sq Ft Per Pallet	120
Weight Per Piece	22
Weight Per Pallet	2,690

Colors & finishes: Champagne FM Contempo, Bentley White FM Contempo, Bentley White FM Monaco, Bentley White FM Venetian, Champagne FM Monaco, Champagne FM Venetian, Grey Mist FM Contempo, Grey Mist FM Monaco, Grey Mist FM Venetian, Natural Pewter FM Contempo, Natural Pewter FM Monaco, Natural Pewter FM Venetian, Onyx FM Contempo, Onyx FM Monaco, Onyx FM Venetian, Espresso FM Contempo, Espresso FM Monaco, Espresso FM Venetian, Coral FM Contempo, Coral FM Monaco, Coral FM Venetian

Elevation Palazzo Pavers



Hydro-pressed architectural slabs combine a choice of aggregate-revealing finishes with a refined terrace format. Compare Contempo, Monaco and Venetian using physical samples.

Size (Nominal)	12 x 24
Size (Actual)	11 3/4" x 23 1/2" (300mm x 600mm)
Thickness	50mm
Stones Per Sq Ft	0.5
Stones Per Pallet	60
Sq Ft Per Pallet	120
Weight Per Piece	44
Weight Per Pallet	2,690

Colors & finishes: Champagne FM Contempo, Bentley White FM Contempo, Bentley White FM Monaco, Bentley White FM Venetian, Champagne FM Monaco, Champagne FM Venetian, Grey Mist FM Contempo, Grey Mist FM Monaco, Grey Mist FM Venetian, Natural Pewter FM Contempo, Natural Pewter FM Monaco, Natural Pewter FM Venetian, Onyx FM Contempo, Onyx FM Monaco, Onyx FM Venetian, Espresso FM Contempo, Espresso FM Monaco, Espresso FM Venetian, Coral FM Contempo, Coral FM Monaco, Coral FM Venetian

Elevation Palazzo 24 x 24



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Size (Nominal)	24 x 24
Size (Actual)	23 1/2" x 23 1/2" (597mm x 597mm)
Thickness	50mm
Stones Per Sq Ft	0.25
Stones Per Pallet	20
Sq Ft Per Pallet	80
Weight Per Piece	88.2
Weight Per Pallet	1,813

Colors & finishes: Champagne FM Contempo, Bentley White FM Contempo, Bentley White FM Monaco, Bentley White FM Venetian, Champagne FM Monaco, Champagne FM Venetian, Grey Mist FM Contempo, Grey Mist FM Monaco, Grey Mist FM Venetian, Natural Pewter FM Contempo, Natural Pewter FM Monaco, Natural Pewter FM Venetian, Onyx FM Contempo, Onyx FM Monaco, Onyx FM Venetian, Espresso FM Contempo, Espresso FM Monaco, Espresso FM Venetian, Coral FM Contempo, Coral FM Monaco, Coral FM Venetian

Elevation Slate Border



A textured edge.
A deliberate frame.

6 x 12 in. class
60 mm

Slate-embossed faces and irregular, chamfered edges bring a quiet stone texture to borders, insets and accents. Pair with patios, paths, pool surrounds or driveway fields.



Mocha



Natural



Onyx

Actual unit: 5.75 x 11.5 x 2-3/8 in. / 210 units, approx. 97 sq. ft. per pallet. Auto spacers: 1/8 in. joints. Protect the embossed face during compaction.

Elevation Coastal 3-piece



Exposed shell and aggregate detail gives this paving collection its polished architectural character.

Size (Nominal)	5 7/8" x 11 3/4" - 11 3/4" x 11 3/4" - 11 3/4" x 17 5/8"
Size (Actual)	150mm x 300mm - 300mm x 300mm - 300mm x 450mm
Thickness	60mm
Stones Per Pallet	144
Sq Ft Per Pallet	116
Weight Per Pallet	3,150

Colors & finishes: Ivory FM, Gold FM, Mist FM

Elevation Coastal 6 x 12



Exposed shell and aggregate detail gives this paving collection its polished architectural character.

Size (Nominal)	5 7/8" x 11 3/4"
Size (Actual)	150mm x 300mm
Thickness	6cm
Stones Per Sq Ft	2
Stones Per Pallet	200
Sq Ft Per Pallet	100
Weight Per Piece	13.7
Weight Per Pallet	2,747

Colors & finishes: Ivory FM, Gold FM, Mist FM

Elevation Coastal 12 x 24



Exposed shell and aggregate detail gives this paving collection its polished architectural character.

Size (Nominal)	11 3/4" x 23 1/2"
Size (Actual)	300 mm x 600 mm
Thickness	6cm
Stones Per Sq Ft	0.5
Stones Per Pallet	40
Sq Ft Per Pallet	80
Weight Per Piece	55.6
Weight Per Pallet	2,176

Colors & finishes: Ivory FM, Gold FM, Mist FM

Elevation Hexagon



Six-sided geometry creates distinctive patterns for courtyards, paths and feature areas.

Size (Nominal)	Hexagon
Size (Actual)	7 7/8" x 7 7/8" (198mm x 228mm)
Thickness	80mm
Stones Per Sq Ft	2.7
Stones Per Pallet	176
Sq Ft Per Pallet	65
Weight Per Piece	13.6
Weight Per Pallet	2,392

Confirm the current color and finish program with Elevation.

Regional and special-order color options available by consultation.

Elevation 3 x 9



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Format	Nominal size	Actual size
Individual size	3 x 9 in	2 7/8" x 8 3/4" (75mm x 225mm)

Thickness	Units / pallet	Coverage / pallet
100 mm	300	57 sq ft

Colors & finishes: Granada White

Choose a smooth surface or a compatible special-order finish. Color, edge style, thickness, and lead time are confirmed with your Elevation specification.

Elevation 3 x 18



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Format	Nominal size	Actual size
Individual size	3 x 18 in	2 7/8" x 17 3/4" (75mm x 450mm)

Thickness	Units / pallet	Coverage / pallet
100 mm	112	43 sq ft

Colors & finishes: Granada White

Choose a smooth surface or a compatible special-order finish. Color, edge style, thickness, and lead time are confirmed with your Elevation specification.

Elevation 3 x 24



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Format	Nominal size	Actual size
Individual size	3 x 24 in	2 7/8" x 23 1/2" (75mm x 600mm)

Thickness	Units / pallet	Coverage / pallet
100 mm	120	60 sq ft

Colors & finishes: Granada White

Choose a smooth surface or a compatible special-order finish. Color, edge style, thickness, and lead time are confirmed with your Elevation specification.

Elevation 4 x 12



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Format	Nominal size	Actual size
Individual size	4 x 12 in	3 7/8" x 11 3/4" (100mm x 300mm)

Thickness	Units / pallet	Coverage / pallet
60 mm	320	105 sq ft
80 mm	320	105 sq ft
100 mm	256	84 sq ft

Colors & finishes: Antique Pewter FM, Catina Blend FM

Choose a smooth surface or a compatible special-order finish. Color, edge style, thickness, and lead time are confirmed with your Elevation specification.

Elevation 4 x 16



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Format	Nominal size	Actual size
Individual size	4 x 16 in	3 7/8" x 15 3/4" (100mm x 400mm)

Thickness	Units / pallet	Coverage / pallet
80 mm	192	86 sq ft

Colors & finishes: Granada White

Choose a smooth surface or a compatible special-order finish. Color, edge style, thickness, and lead time are confirmed with your Elevation specification.

Elevation 4 x 20



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Format	Nominal size	Actual size
Individual size	4 x 20 in	3 7/8" x 19 5/8" (100mm x 500mm)

Thickness	Units / pallet	Coverage / pallet
80 mm	144	80 sq ft

Colors & finishes: Granada White

Choose a smooth surface or a compatible special-order finish. Color, edge style, thickness, and lead time are confirmed with your Elevation specification.

Elevation 4 x 24



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Format	Nominal size	Actual size
Individual size	4 x 24 in	3 7/8" x 23 5/8" (100mm x 600mm)

Thickness	Units / pallet	Coverage / pallet
80 mm	128	75 sq ft

Colors & finishes: Granada White

Choose a smooth surface or a compatible special-order finish. Color, edge style, thickness, and lead time are confirmed with your Elevation specification.

Elevation 6 x 6



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Format	Nominal size	Actual size
Individual size	6 x 6 in	5 7/8" x 5 7/8" (150mm x 150mm)

Thickness	Units / pallet	Coverage / pallet
60 mm	400	100 sq ft
80 mm	320	80 sq ft

Colors & finishes: Granada White

Choose a smooth surface or a compatible special-order finish. Color, edge style, thickness, and lead time are confirmed with your Elevation specification.

Elevation 6 x 9



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Format	Nominal size	Actual size
Individual size	6 x 9 in	5 7/8" x 8 7/8 (150mm x 225mm)

Thickness	Units / pallet	Coverage / pallet
60 mm	300	109 sq ft
80 mm	240	88 sq ft

Colors & finishes: Granada White

Choose a smooth surface or a compatible special-order finish. Color, edge style, thickness, and lead time are confirmed with your Elevation specification.

Elevation 6 x 12



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Format	Nominal size	Actual size
Individual size	6 x 12 in	5 7/8" x 11 3/4" (150mm x 300mm)

Thickness	Units / pallet	Coverage / pallet
60 mm	200	100 sq ft
80 mm	160	80 sq ft
100 mm	160	80 sq ft

Colors & finishes: Granada White

Choose a smooth surface or a compatible special-order finish. Color, edge style, thickness, and lead time are confirmed with your Elevation specification.

Elevation 6 x 24



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Format	Nominal size	Actual size
Individual size	6 x 24 in	150 mm x 600 mm

Thickness	Units / pallet	Coverage / pallet
80 mm	100	100 sq ft

Colors & finishes: Granada White

Choose a smooth surface or a compatible special-order finish. Color, edge style, thickness, and lead time are confirmed with your Elevation specification.

Elevation 6 x 30



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.

Format	Nominal size	Actual size
Individual size	6 x 30 in	6" x 30"

Thickness	Units / pallet	Coverage / pallet
80 mm	32	40 sq ft

Colors & finishes: Granada White

Choose a smooth surface or a compatible special-order finish. Color, edge style, thickness, and lead time are confirmed with your Elevation specification.

Elevation Influence Plank Pavers



A distinctive Elevation paving collection. Compare the published face, formats and colors with your surrounding architecture and landscape palette.


Format	Face dimensions	Thickness
Five-piece plank combination	5 3/4 x $9^{11}/_{16}$, 5 3/4 x 11 5/8, 5 3/4 x 13 5/8, 5 3/4 x 17 1/2, 5 3/4 x 19 1/2 in.	3 1/8 in.

Colors & finishes: Vision, Reflection, Majestic

Special-order collection; confirm color availability. Each pallet layer includes all five sizes. Ask a qualified professional to verify suitability for any vehicular application.

Let the mineral make the statement.

Exposed aggregate adds depth, tonal movement and sparkle to a custom concrete paver. Select the aggregate, base color and compatible exposed finish together.



EXPOSED MINERAL FACE / SHOTBLAST FINISH REFERENCE



Earth



Obsidian



Crystal



Emerald



Mirror



Ocean

AGGREGATE OPTIONS / CUSTOM PAVER FINISHES

Shotblasting reveals mineral texture; grinding gives a smoother face. Aggregate appearance varies with the mix and finish. Confirm compatible pavers, minimum orders and lead time with a physical project sample.

Elevation Premier 6 Wall




A 6-inch-high wall block with a straight split face. Coordinate wall geometry, caps and drainage as one system.

Size/Name	Dimensions	Area/Unit	Unit Weight	Units/Pallet	Area/Pallet	Weight/Pallet
Straight Face	18 x 12 x 6 in. H	0.74 sq. ft.	43.5 lbs.	45	33.3 sq. ft.	2,010 lbs.
*Solid Corner	18 x 9 x 6 in. H	0.66 sq. ft.	76.6 lbs.	20	13.2 sq. ft.	1,582 lbs.


Colors: Natural, Wasatch Tan, Onyx



Natural



Wasatch Tan



Onyx

Product dimensions and packing follow the published Elevation website, with the current color programs shown. Final order confirmation governs availability.

Elevation Premier 6 Contemporary



Premier 6 Contemporary brings a contemporary face to the 6-inch wall format. Its color program coordinates with Stonegate for a cohesive landscape palette.

Unit	Dimensions (W x D x H)	Weight
Modern Edge	18 x 12 x 6 in	44 lb

Colors: Granite, Santorini, Onyx, Beach, Mist

Product dimensions and packing follow the published Elevation website, with the current color programs shown. Final order confirmation governs availability.

Elevation Palisades Wall



HIGH-DEFINITION FACEMIX

Chroma Color facemix on the face; corner/end units carry the color onto the sides. Coordinate the lifting device, cap and wall assembly.

Blocks	Dimensions	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Standard	40 x 12 x 8 in. H	2.22 sq. ft.	330 lbs.	4	2	8 (17.76 sq. ft.)	2,714 lbs.
Corner/End	40 x 12 x 8 in. H	2.22 sq. ft.	330 lbs.	4	2	8 (17.76 sq. ft.)	2,714 lbs.
Contemporary Wall Cap	24 x 12 x 2-3/8 in. H	2.0 ln. ft.	50 lbs.	6	8	48 (96 ln. ft.)	2,450 lbs.
Base Block	15 x 12 x 4 in. H	0.44 sq. ft	47 lbs.	-		56 (24.64 sq. ft.)	2,828 lbs.

Colors: Cafe, Cascade, Sahara (NEW COLOR), Onyx

Product dimensions and packing follow the published Elevation website, with the current color programs shown. Final order confirmation governs availability.

The right lift.
A faster installation.



Faster placement. Less manual handling.

Machine-assisted placement can reduce repeated manual handling and help crews set large Palisades units more efficiently, saving installation time and labor.

AVAILABLE TO RENT / COLORADO PATIO & SHADE

720-613-6700

Reserve the clamp with your wall order. Confirm machine compatibility, rental availability and the lifting plan. Use padded gripping surfaces as required by the wall guidance to protect the face.

Elevation Stonegate



Smooth-faced modular units create composed seat walls, terraces and outdoor rooms. Keep the cap, paving and wall within a closely related neutral palette.

Colors: Granite, Santorini, Onyx, Beach, Mist

Product dimensions and packing follow the published Elevation website, with the current color programs shown. Final order confirmation governs availability.

Elevation Compac




8 IN. HIGH / FIBERGLASS PIN CONNECTION

Standard unit: 18 W x 12 D x 8 H in.
Face coverage: 1 sq. ft. / unit
Connection: two fiberglass pins per unit
Pin position controls course alignment and setback.

Colors & finishes: Natural, Wasatch Tan, Onyx

Series III reference weight: 71-76 lb/unit. Regional units and packing vary; confirm the producer schedule. Reinforcement, drainage and wall height require site-specific design.

Elevation Tribute Smooth Wall



Smooth rectangular wall faces create crisp terraces, garden transitions and coordinated landscape details. The smooth finish distinguishes this collection from split-face Tribute.

Size (in.)	16 x 10 1/8
Pallet Type	Single
Thickness (in.)	6
Per Pallet / Layers	5
UNITS per / Layer	8
UNITS per / Pallet	40
LBS per / Layers	520
LBS per / Pallet	2600

Colors & finishes: Vision, Enlighten, Timeless, Allure, Majestic, Reflection

Elevation Tribute Split-Face



Split-face texture gives Tribute a stone-inspired character. Select the wall, cap and installation assembly around the project design and the published system details.

Specification	Format A	Format B	Format C
Size (in.)	16 x 12	16 x 10	16 x 10 1/8
Pallet Type	Single	Single	Single
Thickness (in.)	6	6	6
SQFT Per / Layer	6.03	N/A	
SQFT Per / Pallet	24.12	24.12/ 18	N/A
Per Pallet / Layers	4	4	4
UNITS per / Layer	9	9	18
UNITS per / Pallet	36	36	72
LBS per / Layers	675	578.25	675
LBS per / Pallet	2736	2736	2736

Colors & finishes: Gray, Buff, October Oak, Swiss Mocha, Canyon Brown, Timeless, Graphite, Silvertone

Elevation Unity Wall



Smooth concrete units finished on all sides suit freestanding seat walls, pillars and outdoor living details. Two unit lengths support a coordinated landscape composition.

Specification	Format A	Format B
Size (in.)	12 x 9	18 x 9
Pallet Type	Single	Single
Thickness (in.)	4	4
SQFT Per / Layer	5.25	5
SQFT Per / Pallet	42.24	40
Per Pallet / Layers	8	8
UNITS per / Layer	16	10
UNITS per / Pallet	128	80
LBS per / Layer	494	494
LBS per / Pallet	3072	3784

Colors & finishes: Vision, Enlighten, Timeless, Allure, Majestic, Reflection

Elevation Contemporary Wall



Coordinate the product, unit format, color and installation assembly before ordering.

Block	Size	Face Area	Unit Weight	Layers	Units/Pallet	Pallet Weight
Small	8 x 8 x 4 in. H	(3 piece sets) 1.33 sq. ft./set	122lbs./set	5 (4 sets ea.)	20 sets (26.6 sq. ft.)	2,480 lbs.
Medium	16 x 8 x 4 in. H					
Large	24 x 8 x 4 in. H					
Corner/Pillar*	12 x 8 x 4 in. H	0.33 sq.ft.	31 lbs.	4 (20 units)	80 (26.6 sq. ft.)	2,530 lbs.

Colors: Beechwood, Cascade, Onyx

Product dimensions and packing follow the published Elevation website, with the current color programs shown. Final order confirmation governs availability.

Elevation Bullnose Paver



A coordinated finishing component for walls, stairs and landscape transitions. Confirm the selected profile, edge treatment and dimensions before ordering.

Type	Dimensions	Area/Unit	Weight	Units/Layer	Layers/Pallet	Units/Pallet	Pallet	Weight/Pallet
Tumbled	12 x 6 x 2.375 in." H	0.50 sq. ft.	13.06 lbs.	48	3	144	72 sq. ft.	1,930 lbs.

Colors & finishes: Mocha, Natural, Onyx, Wheat

Elevation Prestige Coping Pavers



Long-format bullnose coping with a burnished face creates refined pool edges, steps and freestanding wall caps. Coordinate Prestige and Demi Prestige around the perimeter detail.

Format	Face dimensions	Thickness
Prestige bullnose coping	14 x 24 in.	2 3/4 in.
Demi Prestige bullnose coping	8 x 14 in.	2 3/4 in.

Colors & finishes: Sea Salt, Quiet Beach, Galaxy

Prestige and Demi Prestige share the Sea Salt, Quiet Beach and Galaxy palette. Confirm the selected component, burnished face, exposed bullnose orientation and current regional quantities before purchase.

Elevation Grand Crest Coping Pavers



Burnished concrete coping completes pool perimeters, steps, pillars and walls. Confirm bullnose orientation and exposed edges with the final detail.

Format	Face dimensions	Thickness
Grand Crest coping	8 x 14 in.	2 3/4 in.

Colors & finishes: Vision, Timeless, Majestic, Reflection

Elevation Bullnose



A coordinated finishing component for walls, stairs and landscape transitions. Confirm the selected profile, edge treatment and dimensions before ordering.

Size (Nominal)	3 1/8" x 12" & 2 3/8"
Size (Actual)	80 mm x 300 mm x 60 mm
Thickness	6 cm
Stones Per Sq Ft	3.7
Stones Per Pallet	352
Sq Ft Per Pallet	95
Weight Per Piece	6.7
Weight Per Pallet	2,409

Confirm the current color and finish program with Elevation.

Regional and special-order color options available by consultation.

Elevation Coping



Architectural coping with a ground face and eased or bullnose edges. Additional edge treatments are available by special order.

Size (Nominal)	12 x 24
Size (Actual)	11 3/4" x 23 3/4" (300mm x 600mm)
Thickness	60mm
Stones Per Sq Ft	0.50
Stones Per Pallet	40
Sq Ft Per Pallet	80
Weight Per Piece	55.6
Weight Per Pallet	2,176

Colors & finishes: *Artic FM Grind, Gold FM Grind, Ivory FM Grind, Mist FM Grind

Ground and calibrated face. Standard edge options are single-sided eased or bullnose; special-order options include shot-blasting, single-sided bevel, double eased edge, double bullnose and double bevel. Three- or four-sided edges are quoted to the project drawing. Confirm current availability and the finished edge orientation.

Elevation Classic Precast Pool Coping



A rounded bullnose with top and bottom reveals for an elegant pool perimeter. Straights, inside and outside corners, and radius components resolve curved pool designs.

Component	Nominal dimensions / options
Straight	14 x 24 x 2 1/2 in.
Inside / outside corner	14 x 16 x 2 1/2 in.
Radius width	14 in.
Inside radii	1, 2, 3, 4, 6 and 8 ft.
Outside radii	2, 3, 4, 6 and 8 ft.
Finish	Stippled or sandblasted

Confirm the current color and finish program with Elevation.

All sizes are nominal. Special-order components are confirmed against approved shop details before purchase. Confirm bearing, overhang, joints, bonding, edge geometry and Colorado exposure requirements for the complete installation.

Elevation Modern Precast Pool Coping



A rolling bullnose and restrained profile bring a soft, refined edge to contemporary pools. Coordinate straight pieces and outside corners in a selected precast color.

Component	Nominal dimensions / options
Straights	18 x 18 x 2 in.; 18 x 24 x 2 in.
Outside corner	18 x 18 x 2 in.
Finish	Stippled or sandblasted

Confirm the current color and finish program with Elevation.

All sizes are nominal. Special-order components are confirmed against approved shop details before purchase. Confirm bearing, overhang, joints, bonding, edge geometry and Colorado exposure requirements for the complete installation.

Elevation Square Modular Precast Pool Coping



A crisp square-edged coping for architectural pools, spas and precise deck transitions. Coordinating straights, corners and radius pieces support a considered perimeter.

Component	Nominal dimensions / options
Straights	12 x 24, 14 x 24, 16 x 24, 16 x 36, 24 x 24 in.
Straight thickness	2 1/2 in.
Corners	14 x 14 x 2 1/2 in.; 16 x 16 x 2 1/2 in.
Radius widths	14 or 16 in.
Radii	2, 3, 4, 6 and 8 ft.
Finish	Stippled or sandblasted

Confirm the current color and finish program with Elevation.

All sizes are nominal. Special-order components are confirmed against approved shop details before purchase. Confirm bearing, overhang, joints, bonding, edge geometry and Colorado exposure requirements for the complete installation.

Elevation Classic Precast Wall Cap



Double-sided bullnose caps finish poolside seat walls and garden walls. Three-sided ends, corners, radius pieces and pilaster caps complete the architecture.

Component	Nominal dimensions / options
Straight widths	8, 10 1/4, 12, 14, 16 and 24 in.
Straight length / thickness	24 in. / 2 1/2 in.
Edge	Two-sided bullnose straights; three-sided bullnose ends
Components	Straights, ends, corners, radius pieces and flat or peaked pilaster caps
Finish	Smooth or sandblasted

Confirm the current color and finish program with Elevation.

All sizes are nominal. Special-order components are confirmed against approved shop details before purchase. Confirm bearing, overhang, joints, bonding, edge geometry and Colorado exposure requirements for the complete installation.

Elevation Square Modular Precast Wall Cap



Strong horizontal lines and square profiles tie poolside walls, raised spas and planters to a contemporary coping palette.

Component	Nominal dimensions / options
Straight / end widths	7 1/4, 9 1/4, 13 1/4 and 20 1/4 in.
Straight length / thickness	24 in. / 3 3/8 in.
Radius width / radii	9 1/4 in. / 2, 4, 6 and 8 ft.
Components	Straights, ends, corners, radius pieces and pilaster caps
Finish	Smooth or sandblasted

Confirm the current color and finish program with Elevation.

All sizes are nominal. Special-order components are confirmed against approved shop details before purchase. Confirm bearing, overhang, joints, bonding, edge geometry and Colorado exposure requirements for the complete installation.

Elevation Slate-Texture Precast Wall Cap



A slate-textured architectural cap for walls, pillars and coordinated outdoor spaces. Straight, end, corner and radius components are available by special order.

Component	Nominal dimensions / options
Straight / end widths	7 1/4, 9 1/4 and 13 1/4 in.
Straight length / thickness	24 in. / 2 1/2 in.
Corner sizes	7 1/4 x 10, 9 1/4 x 12 and 13 1/4 x 16 in.; 2 1/2 in. thick
Pilaster caps	18 1/4 x 18 1/4, 18 1/4 x 24 1/4 and 24 1/4 x 24 1/4 in.; 3 in. thick
Finish	Slate or sandblasted slate

Confirm the current color and finish program with Elevation.

All sizes are nominal. Special-order components are confirmed against approved shop details before purchase. Confirm bearing, overhang, joints, bonding, edge geometry and Colorado exposure requirements for the complete installation.

Elevation Contemporary Wall Cap



A coordinated finishing component for walls, stairs and landscape transitions. Confirm the selected profile, edge treatment and dimensions before ordering.

Cap	Size	Face	Weight	Units/Layer	Layers/Pallet	Unit/Pallet	Area/Pallet	Weight/Pallet
Contemporary Wall Cap	24 W x 12 x 2.375 in. H	2 ln. ft.	50 lbs.	6	8	48	96 ln. ft.	2,450 lbs

Colors & finishes: Mocha, Natural, Onyx

Elevation Wall & Pillar Caps



A coordinated finishing component for walls, stairs and landscape transitions. Confirm the selected profile, edge treatment and dimensions before ordering.

Specification	Format A	Format B	Format C
Size (in.)	135/8 x 18	135/8 x 18-14	135/8 x 18
Pallet Type	Single	Single	Single
Thickness (in.)	3	3	3
SQFT Per / Layer	9	11.97	9
SQFT Per / Pallet	99	83.78	72
Per Pallet / Layers	11	7	8
UNITS Per / Layer	6	9	6
UNITS Per / Pallet	66	63	48
LBS Per / Layer	323	423	300
LBS Per / Pallet	3669.6	2961	2667.84

Confirm the current color and finish program with Elevation.

Elevation 4 Inch Split-Face Wall Caps



A coordinated finishing component for walls, stairs and landscape transitions. Confirm the selected profile, edge treatment and dimensions before ordering.

Cap	Size	Face	Weight	Units/Layer	Layers/Pallet	Unit/Pallet	Area/Pallet	Weight/Pallet
4 in. Universal	18 W x 11 x 4 in. H (Front) 14 W x 11 x 4 in. H (Back)	1.5 ln. ft.	54 lbs. (Split face front/back)	9	5	45	67.5 ln. ft.	2,480 lbs
3 in. Universal	12 W x 12 x 3 in. H (Front) 10.625 W x 12 x 3 in. H (Back)	1 ln. ft.	26 lbs. (Split face front/back)	12	4	48	72 ln. ft.	1,298 lbs
3 in. Tumbled	12 W x 12 x 3 in. H (Front) 10.625 W x 12 x 3 in. H (Back)	1 ln. ft.	26 lbs. (Split face front/back)	12	4	48	72 ln. ft.	1,298 lbs
Mini Cap	8 W x 9.25 x 3 in. H (Front) 6 W x 9.25 x 3 in. H (Back)	0.67 ln. ft.	15.2 lbs. (Split face front/back)	52	2	104	69 ln. ft.	1,630 lbs

Colors & finishes: Bluestone, Charcoal, Gray, Sandstone, Sandstone Brown, Santa Fe

Elevation Imperial Step



Dimensional concrete steps create strong transitions between coordinated paving and landscape levels.

Dimensions	Area	Weight	Units/Pallet	Pallet Weight
48 x 18 x 6 in. H	6.0 sq. ft.	409 lbs.	6 (36 sq. ft.)	2,504 lbs.

Colors & finishes: Charcoal, Mocha, Natural, Wheat

Elevation Grand Step



Concrete steps provide a substantial, coordinated transition between landscape levels.

Dimensions	Area	Weight	Units/Pallet	Pallet Weight
48 x 18 x 6 in. H	6.0 sq. ft.	409 lbs.	6 (36 sq. ft.)	2,504 lbs.

Colors & finishes: Beechwood, Charcoal, Natural, Wheat

Elevation Granite Edger



A split-face concrete edger with granite-inspired character defines planted beds, aggregate bands and paving transitions. Coordinate its three colors with the field material.

Size	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
12 x 4 x 4 in. H	16 lbs.	32	5	160 (160 ln. ft.)	2,610 lbs.

Colors: Bluestone, Onyx, Santa Fe

Product dimensions and packing follow the published Elevation website, with the current color programs shown. Final order confirmation governs availability.

Elevation Holland Eco Paver



Classic rectangular paving supports running-bond, basketweave and herringbone compositions.

Name	Size	Area/Unit	Weight/Unit	Units/Layer	Layers/Pallet	Units/Pallet	Weight/Pallet
Rectangle	4.875 x 9.75 x 3.125 in." H	0.34 sq. ft.	13 lbs.	28 (10.6 sq.ft.)	8	224 (84.7 sq. ft.)	3,050 lbs.
Square	4.875 x 4.875 x 3.125 in." H	0.17 sq. ft.	6.54 lbs.	7	-	-	-

Colors & finishes: Beechwood, Moonlight Gray

Elevation Pacific-Eco



Purpose-designed paving for a complete drainage assembly. Coordinate joints, open-graded base, storage, soils, outlets and maintenance for the actual site.

Name	Size	Units/Layer	Layers	Units/Pallet	Weight/Pallet
Small Square	4.87 x 4.87 x 3.12 H	28 (13.44 sq.ft.)	7 (425 lbs.)	224 (94 sq.ft.)	2,975 lbs.
Large Square	9.75 x 9.75 x 3.12 H				
Small Rectangle	4.87 x 9.75 x 3.125 H				
Large Rectangle	14.62 x 9.75 x 3.125 H				

Colors & finishes: Beechwood, Moonlight Gray

Elevation H2O Pro Pavers



Purpose-designed paving for a complete drainage assembly. Coordinate joints, open-graded base, storage, soils, outlets and maintenance for the actual site.

Size (in.)	4x8
Pallet Type	Single
Thickness (in.)	3 1/8
SQFT Per / Pallet	88
SQFT Per / Layer	11
Per Pallet / Layers	8
Soldiers LNFT per / Layer	16.65
Soldiers LNFT per / Pallet	133.2
Sailor LNFT per / Layer	33.35
Sailor LNFT per / Pallet	266.8
UNITS per / Layer	50
UNITS per / Pallet	400
LBS per / Layers	387.5
LBS per / Pallet	3100

Colors & finishes: Timeless, Majestic

Elevation Aqua-Via I



Purpose-designed paving for a complete drainage assembly. Coordinate joints, open-graded base, storage, soils, outlets and maintenance for the actual site.

Size (Nominal)	4 3/8" x 8 3/4"
Size (Actual)	112 mm x 224 mm
Thickness	8 cm
Stones Per Sq Ft	3.7
Stones Per Pallet	350
Sq Ft Per Pallet	95
Weight Per Piece	9.0
Weight Per Pallet	3,200

Colors & finishes: Antique Pewter FM, Catina Blend FM

Elevation Aqua-Via II



Purpose-designed paving for a complete drainage assembly. Coordinate joints, open-graded base, storage, soils, outlets and maintenance for the actual site.

Size (Nominal)	8 3/4" x 8 3/4"
Size (Actual)	224 mm x 224 mm
Thickness	8cm
Stones Per Sq Ft	1.8
Stones Per Pallet	200
Sq Ft Per Pallet	109
Weight Per Piece	19.25
Weight Per Pallet	3,900

Confirm the current color and finish program with Elevation.

Regional and special-order color options available by consultation.

Elevation Aqua-Via ML



Purpose-designed paving for a complete drainage assembly. Coordinate joints, open-graded base, storage, soils, outlets and maintenance for the actual site.

Size (Nominal)	4 3/8" x 4 3/8" - 4 3/8" x 8 3/4"
Size (Actual)	112 mm x 112 mm - 112 mm x 224 mm
Thickness	8cm
Stones Per Sq Ft	3.7
Stones Per Pallet	310 (Half 60, Full 250)
Sq Ft Per Pallet	76
Weight Per Pallet	2,585

Confirm the current color and finish program with Elevation.

Regional and special-order color options available by consultation.

Elevation Aqua-Via Trio



Purpose-designed paving for a complete drainage assembly. Coordinate joints, open-graded base, storage, soils, outlets and maintenance for the actual site.

Size (Nominal)	4 3/8" x 8 3/4" - 8 3/4" x 8 3/4" - 8 3/4" x 13 1/4"
Size (Actual)	112 mm x 224 mm - 224 mm x 224 mm - 224 mm x 336 mm
Thickness	8cm
Stones Per Sq Ft	2.0
Stones Per Pallet	190
Sq Ft Per Pallet	95
Weight Per Pallet	3,307

Confirm the current color and finish program with Elevation.

Regional and special-order color options available by consultation.

Eco-Stone granite colors.

GRANITE BLEND SELECTOR / DRIVEWAYS & WALKING SURFACES


Sunset Black Granite


Black Light Granite


Wintercorn Granite


Black Glow Granite


GTA Dark Granite


Montreal Granite


Muskoka Black Granite


Tremblant Grey Granite


Dark Canadian Shield Granite


Smokey Black Granite


Snowy Canadian Granite


Nunavut Granite


Muskoka Sunset Granite


Summer Sunset Granite


Canadian Shield Granite


Ottawa Granite


Midnight Black Granite


Sunset Granite


Quebec Granite


Boston Granite


St Sauveur Granite

Complete supplier reference palette. Regional availability differs. Confirm the selected blend, binder and assembly with Colorado Patio & Shade. Physical samples govern final selection.

Eco-Stone premium colors.

PREMIUM PEDESTRIAN BLEND SELECTOR


Brown Marble


Salt n Pepper Sunset


Arctic Sunset


Himalayan Salty Marble


Green Marble


Seashell Marble


Tremblant Summit


Grey Marble


Salt n Pepper Marble


Arctic Granite


White Marble

Complete supplier reference palette. Regional availability differs. Confirm the selected blend, binder and assembly with Colorado Patio & Shade. Physical samples govern final selection.

Elevation Xtreme Easy / Joint 840 plus



Select the surface or jointing system around the paving material, joint geometry, traffic and drainage assembly.

Specification	Published direction
Joint width / application	1/8 in for tile; 1/4 in for concrete pavers
Joint depth	Recommended 30 mm minimum; wider joints need additional depth

Colors & finishes: Neutral, Stone Grey, Basalt, Silver Grey

Pedestrian applications; confirm minimum joint width and depth.

Elevation Xtreme / Joint 850 plus



Select the surface or jointing system around the paving material, joint geometry, traffic and drainage assembly.

Specification	Published direction
Joint width / application	3/16 in or wider
Joint depth	Follow the current joint depth and bedding specification

Colors & finishes: Neutral, Stone Grey, Basalt

Light to medium traffic; confirm the published joint and bedding specification.

Elevation Xtreme Ceramic / Joint 815 plus



Select the surface or jointing system around the paving material, joint geometry, traffic and drainage assembly.

Specification	Published direction
Joint width / application	1/8 in or wider
Joint depth	20 mm bonded bedding; 30 mm non-bonded bedding recommended

Colors & finishes: Neutral, Stone Grey, Basalt

Fine joint direction for compatible ceramic paving; confirm application and joint width.

Elevation Gravel Lock / Joint 520



Select the surface or jointing system around the paving material, joint geometry, traffic and drainage assembly.

Specification	Published direction
Joint width / application	Extra-wide joints / resin-bound aggregate
Joint depth	Minimum depth follows aggregate size and loading

Confirm the current color and finish program with Elevation.

Resin-bound aggregate for wide joints, pathways, and tree pits; confirm base and loading design.

Pavermate Z3

POLYMERIC JOINT SAND / PRECISION FOR PAVER JOINTS.



APPLICATION

Concrete-paver patios, walks, driveways and pool decks.

JOINT WIDTH

1/16-2 in. at intersections

JOINT DEPTH

1.5 in. minimum

COLORS

Tan / Granite / Black / Ivory; Beige in select regions.

PACKAGING

50 lb bag / 49 bags per pallet

COVERAGE / BAG

55-75 sq. ft. narrow joints; 20-30 sq. ft. wide joints.

RAIN-SAFE WINDOW

10 minutes after correct activation; not full cure

INSTALLATION LIMITS

Not porcelain, flagstone or pool coping. Overlay joints: 1 in. maximum. Keep surface and joints dry before installation. Do not use in persistently damp or heavily shaded areas. Maintain at least 32 F during installation and cure; allow the specified dry-weather window. Wait 28 days before cleaning or sealing.

SOURCE / SRW Pavermate Z3 current product instructions and Technical Data Sheet

Pavermate Z3

The joint is part of the palette.



Tan



Granite



Black



Ivory

BEIGE / REGION-SPECIFIC

Beige is also listed in the current Z3 program. Confirm regional availability and request a physical sample before specifying.

50 LB BAGS / TAN / GRANITE / BLACK / IVORY / BEIGE

Specify for the approved concrete-paver joint and installation. Z3 is not recommended for porcelain, flagstone, persistently wet or heavily shaded areas, or pool coping joints.

Allow 28 days before cleaning or sealing. Printed colors are indicative; approve the sand sample with the selected paver.

X-Treme

POLYMERIC JOINT SAND / FOR WIDER STONE JOINTS.



APPLICATION

Natural-stone and wetcast pedestrian patios, walks and pool decks.

JOINT WIDTH

1/4-6 in. at intersections

JOINT DEPTH

1.5 in. minimum

COLORS

Tan / Granite.

PACKAGING

50 lb bag / 49 bags per pallet

COVERAGE / BAG

20-45 sq. ft., depending on joint geometry.

RAIN-SAFE WINDOW

20 minutes after correct activation; not full cure

INSTALLATION LIMITS

Not concrete pavers, clay pavers, overlays or pool coping. Keep surface and joints dry before installation. Do not use in persistently damp or heavily shaded areas. Maintain at least 32 F during installation and cure; allow the specified dry-weather window. Wait 28 days before cleaning or sealing.

SOURCE / SRW X-Treme current product instructions and Technical Data Sheet

Select the surface. Then the sealer.



PS / Penetrating

Water-based / natural look / 1 & 5 gal / up to 200 sq. ft. per gal*

Concrete and clay pavers, block walls and manufactured stone.

Not limestone or permeable pavers.



PSX / Penetrating X-treme

Water-based / natural look / 1 & 5 gal / up to 200 sq. ft. per gal*

High-traffic concrete paving and approved masonry.

One coat. Not permeable pavers or concrete overlays; check stone exclusions.



S-PS / Stone Penetrating

Solvent-based / natural look / 1 & 5 gal / up to 200 sq. ft. per gal*

Natural stone including granite, limestone, bluestone and travertine.

Confirm the exact stone and regional VOC formulation.



S-PSX / Stone Penetrating X-treme

Solvent-based / natural look / 1 & 5 gal / up to 200 sq. ft. per gal*

High-traffic natural stone and approved commercial surfaces.

One coat; remove excess after 10 minutes. Not slate.

*Coverage varies with porosity, texture and application. SRW product pages and linked technical sheets govern exact exclusions, preparation, formulation, application and curing. Scan the code beside each product.

Select the surface. Then the sealer.



JS / Joint Stabilizer

Water-based / matte / 1 & 5 gal / up to 120 sq. ft. per gal*

Seals paving and stabilizes approved sand joints up to 3/4 inch.

Not permeable paving, wetcast or previously sealed surfaces.



LG / Low Gloss

Water-based / low gloss / 1 & 5 gal / up to 150 sq. ft. per gal*

Color enhancement and joint stabilization for concrete pavers.

Not clay brick, wetcast, granite or permeable paving.



HG / High Gloss

Water-based / high gloss / 1 & 5 gal / up to 150 sq. ft. per gal*

A wet-look finish for compatible concrete pavers.

Not clay brick, wetcast, granite or permeable paving.



LGX / Low Gloss X-treme

Solvent-based / low gloss / 1 & 5 gal / up to 250 sq. ft. per gal*

High-traffic concrete pavers, wetcast and selected natural stones.

Approve exact substrate and VOC formulation.

*Coverage varies with porosity, texture and application. SRW product pages and linked technical sheets govern exact exclusions, preparation, formulation, application and curing. Scan the code beside each product.

Select the surface. Then the sealer.



HGX / High Gloss X-treme

Solvent-based / high gloss / 1 & 5 gal / up to 250 sq. ft. per gal*

Wet-look finish for concrete pavers, wetcast and selected stones.

Evaluate wet-area traction and approve exact substrate.



DG / Dual Guard

Solvent-based / high gloss / 1 & 5 gal / up to 250 sq. ft. per gal*

Film-forming and penetrating protection in one formula.

Concrete pavers, wetcast and selected stone; test existing coatings.



PRX / Paver Restore X-treme

Solvent-based / pigmented high gloss / 1 & 5 gal / up to 250 sq. ft. per gal*

Color restoration for compatible faded concrete pavers.

Not ivory, cream or light-gray paving; not permeable pavers.

*Coverage varies with porosity, texture and application. SRW product pages and linked technical sheets govern exact exclusions, preparation, formulation, application and curing. Scan the code beside each product.

Finish the system with intention.

01 / IDENTIFY	Record product, substrate, color, factory treatment, joint material and traffic. Obtain paving-manufacturer approval before adding any treatment to factory-sealed paving, porcelain or resin-bound aggregate.
02 / MATCH	Z3 is the concrete-paver joint sand. X-Treme is the wider-joint option for natural stone and wetcast pedestrian surfaces. Permeable paving needs its specified open-graded joint aggregate; do not substitute polymeric sand.
03 / TEST	Approve a cured test area for appearance and wet traction. Natural-look, low-gloss and high-gloss finishes are different design choices. PRX is pigmented and excludes light-colored paving.
04 / PREPARE	Resolve efflorescence and existing coatings. Wait 28 days after polymeric-sand installation before sealing. Clean as directed and allow at least 24 hours to dry. Surface and joints must be completely dry.
05 / APPLY	Published sealer instructions generally call for 50-80 F and a 24-hour dry forecast. Follow the exact label for tools, coats and regional VOC formula. Do not mix or layer sealers without explicit system approval.
06 / REOPEN	Typical sealer instructions allow foot traffic after 24 hours and vehicle traffic after 72 hours, under stated test conditions. Temperature, humidity and porosity change cure time. Rain-safe sand timing is not full cure.

SOURCE / srwproducts.com/products/sealers/ and each linked product Technical Data Sheet. Confirm the latest instructions at the time of ordering and installation.

Choose the sheen. Protect the surface.





Titan Shield Gloss

A CLEAR GLOSS EXPRESSION

Water-based polyurethane-hybrid sealer for compatible concrete, pavers, block and microtoppings. For approved interior and exterior assemblies.

Sealer Matte

A QUIETER, LOW-SHEEN FINISH

Single-component, water-based polyurethane-hybrid protection for compatible cementitious surfaces, including pavers and prepared Surface-X finishes.

SPECIFY THE COMPLETE SYSTEM

Review substrate, previous treatments, moisture, intended use, sheen and traction together. Select any non-skid additive and the full application sequence with the current system documentation.

SEMCO-manufactured protective sealers offered within Elevation Surface-X.

Elevation Contemporary Gas Burning Fire Pit Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Kit	Dimensions (W x D x H)	Pallets
Gas fire pit	48 x 48 x 20 in	1

Colors & finishes: Beechwood, Cascade, Onyx

Elevation Contemporary Gas Burning Fire Table Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Kit	Dimensions (W x D x H)	Pallets
Gas fire table	68 x 20 x 20 in	1

Colors & finishes: Beechwood, Cascade, Onyx

Elevation Fire Features

Six distinct silhouettes. One considered outdoor room.



Elevation Luna

Disc & pedestal / 32 / 38 / 45 / 55 / 65 in.



Elevation Toba

Classic bowl / 35 / 38 / 45 / 52 in.



Elevation Enya

Square / 32 / 38 / 45 in.



Elevation Gather

Linear table / 55 / 65 / 75 / 85 / 95 in.



Elevation Nido

Sculpted form / 55 / 65 / 75 in.




Elevation Canyon

Organic linear / 55 / 65 / 75 / 85 / 95 in.

Nominal model sizes shown. Confirm overall dimensions, fuel, burner, ignition and accessories with the selected configuration before ordering.

Color. Texture. Character.


Seven concrete colors. Three distinct finish expressions.



Shasta Snow



Tule Fog



Alpine Mist



La Jolla Sands



Cascade Cliffs



Mojave Playa




Pacific Midnight




Smooth

A refined concrete face.



Raw

A more open, tactile face.



Wood Grain Sides

Formed grain on side faces.

Finish choices vary by model; Wood Grain Sides is offered on compatible styles. Color and texture vary naturally. Approve physical samples, then confirm fuel, ignition and the complete configuration.

Elevation Contemporary Wood Burning Fire Pit Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Colors & finishes: Beechwood, Cascade, Onyx

Request the current component schedule and dimensional information with the project quotation.

Elevation Grand Fire Ring Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Configuration	Dimensions	Pallets
3 courses	48 in diameter x 12 in high	1
4 courses	48 in diameter x 16 in high	1

Colors & finishes: Beechwood, Bluestone, Cascade, Santa Fe

Elevation Tribute Square Fire Pit Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Kit component	Published dimensions / quantity
Outer footprint	56 x 56 in
Wall units	24 units; 6 in high
Steel insert	36 x 36 in

Colors & finishes: Beckon, Enlighten, Timeless, Majestic, Reflection

Elevation Unity Square Fire Pit Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Kit component	Published dimensions / quantity
Outer footprint	54 x 54 in
Wall units	30 large units; 9 x 18 x 4 in
Steel insert	36 x 36 in

Colors & finishes: Enlighten, Timeless, Allure, Majestic, Reflection

Elevation Contemporary Fireplace Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Component	Dimensions (W x D x H)	Pallets
Fireplace	52 x 32 x 86.25 in	4 / 5 - confirm configuration
Optional woodbox	32 x 32 x 38.25 in	1
Optional hearth	48 x 16 x 10.25 in	1

Colors & finishes: Beechwood, Cascade, Onyx

Elevation Grand Fireplace Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Colors & finishes: Indiana Limestone (Cap/Top), Beechwood, Bluestone, Cascade, Santa Fe

Request the current component schedule and dimensional information with the project quotation.

Elevation Contemporary Island Bar & Grill Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Kit	Dimensions (W x D x H)	Pallets
Island grill	80 x 32 x 40.75 in	4

Colors & finishes: Beechwood, Cascade, Onyx

Elevation Grand Island Bar & Grill Kit



A coordinated outdoor gathering feature. Confirm the selected kit, fuel type, component schedule and installation requirements with your project quotation.

Colors & finishes: Indiana Limestone (Cap/Top), Beechwood, Bluestone, Cascade, Santa Fe

Request the current component schedule and dimensional information with the project quotation.

The full Palazzo palette.

	CONTEMPO	MONACO	VENETIAN
Bentley White			
Champagne			
Grey Mist			
Natural Pewter			
Onyx			
Espresso			
Coral			

21 color / finish combinations. FM denotes face mix. Color and finish vary in natural light; approve physical samples.

See the finish.
Then choose the feeling.



CONTEMPO

Shot-blasted texture exposes the aggregate and gives the surface a tactile, mineral character.



MONACO

Grinding reveals the aggregate beneath a smoother face. A more refined expression of the same color.




VENETIAN

Grinding and shot-blasting combine exposed mineral detail with a textured finish.

GREY MIST / THREE FINISHES SHOWN IN THE SAME COLOR

Elevation Hexagon 24

Large-format hexagonal concrete paving / dimensional and ordering reference






Specification	Dimension / coordination note
Nominal module across flats	24 in. / 609.6 mm, including the nominal joint
Actual unit across flats	606.6 mm / approximately 23.88 in.
Thickness	70 mm / approximately 2.76 in.
Nominal joint in supplied drawing	3 mm / approximately 0.118 in.
Nominal coverage, calculated	3.464 sq. ft. per unit, including nominal joint; before cuts and waste
Ordering information	Confirm color names, finish, unit weight, pallet count, lead time and availability with quotation

Coverage calculation: A = (sqrt(3) / 2) x W squared, where W = 2 ft nominal across flats. A = 3.464 sq. ft. per nominal module. Add project-specific cuts, layout losses and spare units; do not treat this as pallet coverage.

Confirm current color names, finish, unit weight, packaging, pallet count, lead time and availability with Elevation. No unverified traffic, slip-resistance or rooftop-system rating is assigned by this guide.

Face. Joint. Module.



PLAN / REGULAR HEXAGON

24 in. / 609.6 mm nominal module
Actual face + nominal 3 mm joint


The 24-inch designation is the module across flats. It is not a 24-inch corner-to-corner dimension.



70 mm thick

Approximately 2.76 in.

GEOMETRY / NOT AN INSTALLATION DETAIL



3 mm nominal joint

Joint dimension reproduced from the supplied drawing. Coordinate the actual assembly, jointing material, tolerances and edge restraint with the project design.

Seven-unit arrangement shown for geometry only. It does not establish shipping or pallet quantities.

Source: supplied drawing 07.1760005.00037.IDW1 / revision 2 / 29 October 2021. Face width and thickness follow the drawing designation SW606.6 x 70; the nominal module and joint are dimensioned in the drawing. Diagrams are explanatory and not a shop drawing.

For roof terraces and pool-adjacent work, confirm the complete support, loading, drainage, waterproofing and jointing assembly with the qualified project team.

Eco-Stone & Surface-X

ELEVATION ECO-STONE

Resin-bound aggregate paving. Specify the aggregate blend, binder, finish elevation, edge restraint, traffic category and full base/drainage assembly.

Use approved granite blends for driveways. Premium pedestrian blends require application approval. Do not infer whole-assembly permeability from the surface alone.

ELEVATION SURFACE-X

Applied finish on a suitable prepared substrate. Specify the substrate condition, preparation, repairs, primers/membranes where required, finish texture and maintenance system.

Approve the exact finish and wet-area use. Resolve movement joints and edges with the substrate. A finish does not replace structural repair or a drainage assembly.

Product-system references: purepave.com resin-bound paving; semcosurfaces.com X-Bond microcement. Elevation product names are used for the customer-facing collections.

Specify the substrate. Then the finish.





01 **SURFACE & CONDITION**

Identify concrete or other proposed substrate, existing treatments, cracks and moisture conditions before selecting the system.

02 **PREPARATION & ASSEMBLY**

Resolve cleaning, repairs, transitions and any required primer or membrane as one approved system.

03 **TEXTURE & COLOR**

Approve a physical finish sample. Coordinate texture with use, especially steps, coping and other wet walking surfaces.


04 **EDGES & MAINTENANCE**

Detail terminations and movement joints, then record the care and maintenance plan for the selected finish.

Exterior faces shown. Coordinate the burner/liner, ventilation, clearances and approved substrate/coating assembly.

ELEVATION SURFACE-X

A warmer neutral.
A cooler grey. Your palette.



Polar Bear




Taupe Grey



Mojave



Modern Grey



Phantom



Baked Clay

CORSA FINISH / SIX REFERENCE COLORS

These are photographed finish samples. Color and availability depend on the selected system; approve physical samples for the project.

Five finishes.
Five ways to shape the light.



Corsa

Smooth trowel work with soft tonal movement.

REFERENCE COLOR / PHANTOM



Solid

An even color with minimal tonal variation.

REFERENCE COLOR / SILVER STONE



Grain

An organic, grain-like texture with visual movement.

REFERENCE COLOR / PHANTOM



Vellum

A more tactile, lightly textured appearance.

REFERENCE COLOR / PHANTOM



Polished

A smooth surface with pronounced tonal variation.

REFERENCE COLOR / MODERN GREY

Finish and color are separate selections. Confirm the selected system and texture for exterior or wet walking surfaces.

Photographed Surface-X finish references. Trowel application creates natural variation; the approved project sample governs.

Resolve the assembly.

01

PAVING & MODULE

Set the grid from building lines, openings, furniture and primary views. Resolve edge cuts and confirm actual dimensions before ordering.

02

LEVELS & WALLS

Coordinate landings, treads, risers, wall units and caps. Retaining-wall design and drainage must respond to the site and applicable engineering.

03

WATER & TRANSITIONS

Identify slopes, inlets, drainage layers, outlets and overflow routes. Permeable-looking materials do not establish system performance by themselves.

04

EXISTING SUBSTRATES

For Surface-X, document substrate condition, repairs, movement joints, moisture and the approved finish assembly.

Design coordination prompts; use the current product and installation documentation for final specifications.

Make the material schedule useful.

01

IDENTIFY EACH SURFACE

Record location, collection, exact product, color, finish, actual unit sizes and thickness. Distinguish field, border, cap, coping and stair components.

02

SEPARATE THE SYSTEMS

Eco-Stone: blend, binder, traffic class and complete base/drainage assembly. Surface-X: substrate, preparation, selected system, color and texture.

03

APPROVE THE PHYSICAL SAMPLE

Review colors and textures together in site light. For Palazzo, record the named finish as well as the color. Review Coastal face variation in the selected regional program.

04

COORDINATE THE COMPLETE SPACE

Resolve fire clearances, cabinet and countertop dimensions, roof drainage, lighting, controls and maintenance access with the project team.

Design coordination prompts; use the current product and installation documentation for final specifications.

Specification index

3 x 18	**34**
3 x 24	**35**
3 x 9	**34**
4 Inch Split-Face Wall Caps	**60**
4 x 12	**35**
4 x 16	**36**
4 x 20	**36**
4 x 24	**37**
6 x 12	**39**
6 x 24	**39**
6 x 30	**40**
6 x 6	**37**
6 x 9	**38**
Accent Pavers	**20**
Aggregate finishes / Custom	**41**
American Brick	**19**
Aqua-Via I	**65**
Aqua-Via II	**66**
Aqua-Via ML	**67**
Aqua-Via Trio	**68**
Bullnose	**52**
Bullnose Paver	**51**
Cheyenne	**10**
Classic Precast Pool Coping	**54**
Classic Precast Wall Cap	**56**
Coastal 12 x 24	**32**
Coastal 3-piece	**30**
Coastal 6 x 12	**31**
Cobble	**19**
Compac	**47**
Contemporary Fireplace Kit	**86**
Contemporary Gas Burning Fire Pit Kit	**81**
Contemporary Gas Burning Fire Table Kit	**81**
Contemporary Island Bar & Grill Kit	**87**
Contemporary Wall	**50**
Contemporary Wall Cap	**58**
Contemporary Wood Burning Fire Pit Kit	**84**
Contours	**15**
Contours XL	**10**
Coping	**53**
Discover Pavers	**16**
Eco-Stone	**69**
ELEMENTS Pavers	**21**
Elevation Fire Features / Canyon	**82**
Elevation Fire Features / Colors & finishes	**83**
Elevation Fire Features / Enya	**82**
Elevation Fire Features / Gather	**82**
Elevation Fire Features / Luna	**82**
Elevation Fire Features / Nido	**82**
Elevation Fire Features / Toba	**82**
GeoCeramica	**8**
GeoCeramica / Cross-section	**9**
Grand CREST COPING Pavers	**52**
Grand Discover	**11**
Grand Discover XL Slabs	**6**
Grand Fire Ring Kit	**84**

Specification index

Grand Fireplace Kit	**86**
Grand FUSION Pavers	**12**
Grand Island Bar & Grill Kit	**87**
Grand REVERENCE Pavers	**13**
Grand Step	**61**
Granite Edger	**62**
Gravel Lock / Joint 520	**72**
H2O PRO Pavers	**64**
Hexagon	**33**
Hexagon 24	**90**
Holland	**17**
Holland Eco Paver	**63**
Imperial Step	**61**
Influence Plank Pavers	**40**
Legacy	**17**
Modern Precast Pool Coping	**54**
Pacific-Eco	**63**
Palazzo 12 x 12	**26**
Palazzo 24 x 24	**28**
Palazzo Pavers	**27**
Palermo Pavers	**18**
Palisades Wall	**44**
Pavermate Z3 / Color selector	**74**
Premier 6 Contemporary	**43**
Premier 6 Wall	**42**
PRESTIGE COPING Pavers	**51**
Reno	**14**
Silhouette	**15**
Silhouette XL	**11**
Slate Border	**29**
Slate-Texture Precast Wall Cap	**58**
Square Modular Precast Pool Coping	**55**
Square Modular Precast Wall Cap	**57**
Stonegate	**46**
Strata	**7**
Surface-X / Protective sealers	**80**
Tahoe	**14**
Titan Slabs	**6**
Tribute Smooth Wall	**47**
TRIBUTE Square Fire Pit Kit	**85**
Tribute Wall	**48**
Umbriano 12 x 24	**22**
Umbriano 4-piece	**23**
Umbriano 6 x 12	**24**
Umbriano 6 x 9	**25**
UNITY Square Fire Pit Kit	**85**
Unity Wall	**49**
Vista	**7**
Wall & Pillar Caps	**59**
Windom Slabs	**8**
Xtreme / Joint 850 plus	**71**
Xtreme Ceramic / Joint 815 plus	**72**
Xtreme Easy / Joint 840 plus	**71**

Choose with confidence.

COLOR & FINISH

Use physical samples to approve color, texture and finish. Natural aggregates and production lots create variation. Printed and digital images are selection references.

PHOTOGRAPHY

Corrected product pages use published product-face references. Colorado design studies are visualizations with proposed palettes, rather than completed-project credits. Visualizations do not establish a product's exact face or module.

THICKNESS

Specify thickness by format. Umbriano 12 x 24 is published at 50 mm; 4-piece, 6 x 12 and 6 x 9 are 60 mm. Palazzo featured formats are 50 mm. Coordinate mixed-thickness materials in the base detail.

PERFORMANCE

Traffic, permeability, drainage and frost performance depend on the complete assembly, subgrade and maintenance plan. Design borders and drain zones as part of that assembly.

ORDERING

Confirm product, finish, color, unit type, caps, coping, steps, border, jointing, quantities and delivery together. Special-order availability and regional programs vary.